

INDEX OF SUBJECTS.

ABSTRACTS. 1880.

A.

- Abietic acid, 264, 670.
Absorption of food, 414.
— of gases by liquids, 525.
— of oxygen and expiration of carbonic anhydride, by plants, 416.
— of the ultra-violet rays of the spectrum by organic substances, 430.
Absorptive power of soil-constituents for gases, 134.
Acetal, method of producing, 458.
Acetaldehyde-ammonia and hydrocyanic acid, nitrils from, 313.
Acetamide, chlor-, action of potassium cyanide on, 103.
— dichlor-, 102.
Acetanilide, brom-, crystalline form of, 105.
— monochlor-, 547.
— trichlor-, action of phosphorus pentachloride on, 547.
Acetaniside, 641.
— dinitro-, 641.
Acetethylamide, action of phosphorus pentachloride on, 547.
— dichlor-, action of phosphorus pentachloride on, 547.
— trichlor-, 547.
— trichlor-, action of phosphorus pentachloride on, 547.
Acetic acid, action of potassium dichromate on, 160.
— — action of titanium tetrachloride, stannic chloride, and antimony pentachloride on, 460.
— — electrolysis of, 27.
— — influence of, on the separation of iron as basic acetate from manganese, zinc, cobalt, and nickel, 289.
— — transformation of, into glycollic acid, 32.
— — anhydrous and hydrated, vapour-density of, 868.
— — chlor-, decomposition of, by water, 379.
— — dichlor-, maleic acid from, 35.
— — monochlor-, action of eugenol, thymol, and orcinol on, 393.
Acetic acid series, rate of substitution by bromine in, 539.
— — series, double salts of the lower members of, 799.
Acetic anhydride, action of titanium tetrachloride, stannic chloride, and antimony pentachloride on, 460.
Acetic chloride, action of aluminium chloride on, 236.
— — compound of titanium tetrachloride with, 624.
Acetmethylanilide, 548.
Acetobenzoic anhydride, action of chlorine and hydrochloric acid on, 550.
Acetol, 867.
Acetoluides, crystalline form of, 106.
Acetone, action of ethylamine and diethylamine on, 868.
— alcohol of, 867.
— quantitative estimation of, in methyl alcohol, 826.
— reaction of, with potassium cyanide, thiocyanate and aqueous hydrochloric acid, 545.
— chlorotribrom-, 457.
— cyanodichlor-, 801.
— dibromo-dichlor-, 862.
— monobrom-, 867.
— — action of potassium carbonate on, 867.
— tribromomono-chlor-, 862.
Acetonic acid, 104.
Acetonitrile, preparation of, 618.
Acetonylcarbamic acid, 545.
Acetonylcarbaminat, 545.
Acetonylsulphocarbaminat, 545.
Acetorthohomoparoxybenzaldehyde, 387.
Aceto-salicyl, 318.
Acetyl, estimation of, by means of magnesia, 67.
Acetyl-achroodextrin, 620.
Acetylbenzene, brom-, action of, on dimethylaniline, dimethylmetatoluidine, and tetramethylmetaphenylene-diamine, 639.
— — preparation of, 659.
Acetylbenzoic anhydride, 31.
Acetylcarbazon, 660.
Acetylcarbinol acetate, oxidation of, 646.

- Acetylcarbinol acetate, preparation of, 645.
 — benzoate, preparation of, 646.
 Acetylene, preparation of, 456.
 — monochlor-, 800.
 — tetrabromide, 98.
 Acetylenedicarboxylic acid, 160.
 — dibrom-, 160.
 Acetyl-erythrodextrin, 620.
 Acetylhydrocotoïn, 328.
 Acetyl-malto-dextrin, 620.
 Acetyl-paraoxybenzaldehyde, 468.
 Acetylphenylcoumaric acid, 164.
 Achroodextrin, changes which it undergoes in the animal organism, 678.
 Acid amides, formation of bases from, 547.
 — anhydrides, behaviour of, with haloïd salts in absence of oxygen, 437.
 — in sugar of lead and in lead vinegar, estimation of, 189.
 Acids, action of, on alloys of rhodium with lead and zinc, 706.
 — antiseptic action of, 72.
 — free mineral or organic, test for, 517.
 — monobasic, double function of, 31.
 — of nitrogen, relations of, to sulphuric acid, 91.
 — of the formula $C_8H_{14}O_6$, derived from bromobutyric acid, 543.
 — organic, action of dehydrating substances on, 459.
 — polymerised non-saturated, 120.
 — which are formed by the distillation of the crude fatty acids in a current of superheated steam, 540.
 Aconitic acid, occurrence of, in beetle-juice, 36.
 Acorns, digestibility and nutritive value of, 820.
 — value of, as fodder, 917.
 Acridine, 398.
 — action of oxidising agents on, 398.
 Acridinic acid and its salts, 398.
 Acroleïn, some reactions of, 235.
 Acrylic acid, action of hypochlorous acid on, 160.
 — dichlor-, and its salts, 799.
 — β -monochlor-, 800.
 Actinism of the sun's rays and of daylight, measurement of, 685.
 Actino-chemistry, new methods in, 837.
Adansonia digitata, fruit of, 836.
 Adipic acid, 36.
 — from camphor, 559.
Aethusa cynapium, alkaloid in, 899.
Agaricus atrotomentosus, quinone occurring in, 47.
 — integer, new organic acid occurring in, 44.
 Aglaite, 225.
 Agricultural chemistry in Japan, 133.
 Air, a possible cause of variation of the proportion of oxygen in, 90.
 — ammonia in, 848.
 — carbonic anhydride in, 334, 788.
 — formation of hydrogen peroxide and ozone by the action of moist phosphorus on, 699.
 — influence of, on fermentation, 819.
 — lower organisms in, 908.
 — of Palermo, analyses of, 697.
 — rapidity of germ-diffusion in, 515.
 — variation in the composition of, 85.
 Air-space, new method for estimating, in seeds and fruits, 189.
 Air-thermometer, a new, 783.
 Alanine, 712.
 β -Alanine hydrochloride, 33.
 Albumin, action of bromine on, 562.
 — action of potassium permanganate on, 413.
 — alkaloids from the decomposition of, 898.
 — estimation of, 829.
 — in plants, 279.
 — influence of borax on the decomposition of, in the organism, 907.
 — putrefaction-products of, 413.
 — secretion, locality of, in plants, 492.
 — supposed conversion of, into fat in the ripening of Roquefort cheese, 835.
 — vegetable, formation of, 341.
 — xanthic acid as a precipitant for, 765.
 Albuminates, estimation of nitrogen in, 350.
 Albuminoid, a new, 177.
 — in whey, a new, 274.
 — nitrogen, estimation of, in fodders, 190.
 Albuminoids, 562.
 — amount of, in potatoes, 568.
 — decomposition of, in plants, 493.
 — digestion of, 484.
 — estimation of, in various kinds of fodder, 764.
 — estimation of, in vegetable substances, 352.
 — formation of hypoxanthine from, 672.
 — gaseous nitrogen a product of the decomposition of, in the body, 272.
 — in pumpkin sprouts, decomposition of, 180.
 — of crystallin, soluble, 815.
 — of various oily seeds, 676.
 — products of the action of hydrochloric acid on, 723.
 — quantities of, in green plants, 731.

- Alcohol, detection of water in, 679.
 — from potatoes, 833.
 — oxidation of, by an ammoniacal solution of cupric oxide, 310.
 — presence of, in animal tissues during life and after death, 174.
 — tables, for converting "overproof" and "underproof" into alcohol per cent., 773.
- Alcoholates, dry metallic, action of carbonic oxide on, 622.
- Alcoholic fermentation, 276, 277.
 — liquids, freezing point of, 528.
- Alcohols, action of baryta and lime on, 711.
 — action of hydrogen peroxide on, 28.
 — action of ozone on, 27.
 — action of sulphuric monochloride on, 310.
 — combinations of lithium and magnesium chlorides with, 310.
 — decomposition of, by zinc-dust, 794.
 — isomeric fatty, heat of combustion of some, 787.
 — oxidation of, by electrolysis, 24.
 — presence of, in plants, 914.
 — sulphates of mono- and polyhydric, 28.
- Aldehyde, collidine from, 54.
- Aldehydes, aromatic, action of acetic anhydride on, 468.
 — — synthesis of, 467.
 — condensation-products of, with primary aromatic bases, 39.
 — phenolic, action of acetic anhydride on, 318.
- Aleurone grains, chemical composition of, 483.
- Alimentary materials, various, absorption of, in the human intestinal canal, 563.
- Alizarin, detection and estimation of, 424.
- Alizarin-blue, constitution of, 262.
- Alkali-metals, chemical constitution of amalgams of, 1.
 — — vapour-densities of, 434.
- Alkaline earth-metals, action of sulphurous anhydride on the oxides of, 606.
- Alkaline earths, characteristics of, 701.
 — hydrates, action of carbonic oxide on, at high temperatures, 459.
 — phosphates, condition of, in aqueous solution, 2.
- Alkaloid in *Aethusa cynapium*, 899.
 — of *Lupinus luteus*, 416.
 — of the yew, 900.
- Alkaloids, a delicate test for, 705.
 — artificial, 410.
- Alkaloids, cinchona, behaviour of, with potassium permanganate, 895.
 — — estimation of, 763.
 — from the decomposition of albumin, 898.
 — in lupines, 57, 416.
 — of *Alstonia constricta*, 127.
 — of belladonna, datura, jusquiame, and duboisia, 561.
 — of jaborandi leaves, researches on, 898.
 — of the pomegranate, 481.
 — perchloric acid as a test for, 69.
 — relation between the bases of the oxalic series and some of the, 548.
 — tests for, 69, 763.
- Alloy of nickel and copper, 771.
 — resembling silver, preparation of, 771.
- Alloys, copper-tin, analogy between the conductivity for heat and the induction balance effect of, 687.
 — — estimation of the specific electrical resistance of, 687.
 — of rhodium with lead and zinc, action of acids on, 706.
 — of zinc with iridium, ruthenium, and rhodium, action of acids on, 707.
- Allyl alcohol, combination of, with baryta, 794.
 — — moniodo-, 538.
 — bromodichloride, 456.
 — chlorodibromide, 456.
 — cyanide and the products of its saponification, 99.
 — — formation of crotonic acid from, 99.
- Allyldimethyl carbinol, oxidation of, 382.
- Allylmalonic acid, 628.
- Allylmethylpropyl carbinol, 372.
- Alshedite, 15.
- Alstonia constricta*, alkaloids of, 127.
- Alstonicine, 128.
- Alstonine, 127.
- Alum, action of ammonium carbonate on, 791.
 — ammonium, decomposition of, by heat, 792.
 — cubic, 444.
 — crystals, sensitiveness of, to variations in the strength of their mother-liquors, 528.
 — potassium and sodium, mutual relations of, in aqueous solution, 83.
- Alumina, action of ammonium carbonate on, 792.
- Aluminium, revision of the atomic weights and quantivalence of, 701.
 — separation of phosphoric acid from, 286.

- Aluminium alcohols, 861, 862.
 — battery, 838.
 — bromide, reactions due to the presence of, 370.
 — chloride, reactions due to the presence of, 370.
 — hydrate, isomeric modifications of, 849.
 — iodine reaction, 861.
 — sulphate, new, 792.
 — sulphide, heat of formation of, 523.
 — and lithium, new silicates of, 447.
- Alums, microscopical observations on the growth and resolution of, in solutions of isomorphous substances, 855.
- Amalgams of the alkali-metals, chemical constitution of, 1.
 — two new, 707.
- Amarine, 881.
 — methiodide, 881.
- Amblygonite, composition of, 96, 530.
- Amides, quantities of, in green plants, 731.
- Amido-acetic hydrochloride, 33.
- Amido-acids, aromatic, 473.
- Amido-azoxylene, 552.
- Amido-compounds, estimation of, 764.
 — in plants, 279.
- Amidodimethylacetic acid (amidovaleric acid), 101.
- Amidodimethylpropionic acid (amido-butyric acid), 101.
- Amido-groups, influence of, on a sulphonic group entering the benzene molecule, 238.
- Amidoketones, aromatic, 804.
- Amidomercaptans from nitrobenzenesulphonic acids, 389.
- Amidomethylene-catechols, 248.
- Amidomethylenecatechol hydrochloride, 248.
- Amido-oxyanthraquinone, 263.
- Amidophenols, isomeric, action of methyl iodide on, 636.
- α -Amidopropionitril, 313.
- Amines, action of ethyl chlorocarbonate on, 311.
 — action of ferro- and ferri-cyanic acids on, 231.
 — action of sulphonic chlorides on, 108.
 — chloro-derivatives of, 233.
 — corresponding with α -toluic alcohol, 241.
- Ameline-argentic oxide, 311.
- Ameline nitrate, 311.
- Ammonia, absorption of, by the soil, 737.
 — compounds of hydracids with, 4.
 — decomposition of, in plants, 731.
 — existence of, in vegetables, 568.
 — from the nitrogen of the atmosphere and the hydrogen of water, 767.
- Ammonia, heat of formation of, 207, 603.
 — in air and water, 848.
- Ammoniacal salts and calcium carbonate, reactions between, 700.
- Ammonium citrate, 104.
 — cyanide, heat of formation of, 151.
 — di-isethionate, 29.
 — ferric chromates, 10.
 — ferrid-thioglycollate, 236.
 — isethionate, changes of, at high temperatures, 28.
 — nitrosoferrothioferrate, 9.
 — phosphate, 104.
 — photosantonate, 104.
 — polysulphides, thermo-chemical study of, 690.
 — salts, heat of formation of, 523.
 — sulphides, heat of formation of, 151, 691.
 — thiocyanate, extraction of, from gas liquors, 358.
- Amphigene, production of, 449.
- Amyl alcohol, action of bleaching powder on, 456.
 — fermentation, heat of combustion of, 787.
 — thiocyanopropionate, 312.
- Amylene, brom-, 376.
 — transformation of, into cymene and hydrocarbons of the benzene series, 710.
- Analytical chemistry, application of the galvanic current in, 282.
- Anemopsis californica*, 721.
- Anethol, action of alcoholic potash on, 385.
 — camphor, or anethol tetrahydride, 385.
 — dihydride, 385.
 — hexhydride, 385.
 — monochlor-, action of alcoholic potash on, 385.
 — tetrahydride, or anethol camphor, 385.
- Angelic acids, 314.
- Anglesite, Sardinian, crystalline form of, 96.
- Anguria, colouring-matter of, 267.
- Anhydrosulphonamidoisophthalic acid, 258.
- Anhydrosulphonamidoterephthalic acid, 257.
- Anhydrotropine, 715.
- Aniline, compounds of, with mercuric bromide and iodide, 632.
 — dinitro-, 812.
 — dithionate, 240.
 — ferrocyanide, 231.
 — parabrom-, 880.
 — parachlor-, 880.
 — blacks, 76.

- β -Anilobutyric acid, 462, 542.
 ——— anilide of, 542.
 Animal body, aromatic products of, 648.
 ——— charcoal, certain properties of, 834.
 ——— estimation of the decolorising power of, 422.
 ——— kingdom, distribution of copper in, 565.
 ——— matters, such as blood, disinfection and preservation of, for agricultural purposes, 929.
 ——— organism, behaviour of cymene in, 38.
 ——— changes which starch undergoes in, 677.
 ——— formation of hippuric and benzoic acids in, during fever, 716.
 ——— interchange of material in, 565.
 ——— tar, compounds from, 267.
 ——— compounds in, 403.
 ——— tissues, presence of alcohols in, during life and after death, 174.
 ——— specific heat of, 483.
 Animals, breathing of, 911.
 ——— fattening of, 173.
 ——— influence of arsenic on, 907.
 ——— occurrence of a reducing substance in the urine of, 332.
 Anisidine, oxidation of, 642.
 Anisoil, bromamido-, 641.
 ——— monobromoparanitro-, 641.
 Anomite, 532.
 Anthracene series, fluorescence in, 665.
 ——— synthesis of, 262.
 Anthracenecarboxylic acid and its salts, 399.
 Anthracenes, use of the spectroscope in discriminating, 757.
 Anthranilic acid from orthonitrotoluene, 648.
 Anthraquinoline, 262.
 Anthraquinone, amido-, acetoxy-derivative of, 49.
 ——— from anthraquinone-monosulphonic acid, 49.
 ——— constitution of, 323.
 ——— crude, use of the polariscope in testing for anthracene, 292.
 ——— hydroxy-, decomposition of, by potash, 49.
 ——— orthobrom-, 323.
 Anthraquinonesulphonic acids, action of ammonia on, 263.
 Antimonic acid, constitution of, 94.
 Antimony, atomic weight of, 299, 300, 704.
 ——— compounds, decomposition of, 348.
 ——— pentachloride, action of, on phosphorus trichloride, 613.
 Antimony, red, 612.
 ——— and arsenic, Clarke's method for the separation of tin from, 289.
 Antiseptic action of acids, 72.
 ——— of pyrogallol, 73.
 Apiin, 413.
 Apiol, 412.
 Apparatus for measuring the heat of combustion, 1.
 Apples, ripening of, after gathering, 179.
 Aqueous vapour, estimation of, in the atmosphere, 420.
 Aragonite, pseudomorphs of calcite after, 15.
 Aromatic compounds with long side-chains, action of iodine on, 463.
 Arsenates of certain metals, 217.
 ——— of zinc and cadmium, 216, 217.
 Arsenic, chemical cause of the toxicological action of, 174.
 ——— detection and estimation of, 752.
 ——— influence of, on animals, 907.
 ——— metallic, volatilising point of, 705.
 ——— presence of, in the atmosphere, 585.
 ——— acid, volumetric estimation of, 421.
 ——— compounds, aromatic, 396.
 ——— decomposition of, 348.
 ——— and antimony, Clarke's method for the separation of tin from, 289.
 Arsenical-pyrites intergrown with iron-pyrites, 855.
 Ash analyses, 343.
 ——— of beet, 922.
 ——— of beet seed, composition of, 496.
 ——— of certain spice seeds, analyses of, 915.
 ——— of different parts of the vine, 133.
 ——— volcanic, from Cotopaxi, 97.
 Ashes of the trunk, leaves, and fruit of the orange and the Mandarin orange, composition of, 915.
 Asparagine, action of methyl iodide on, 315.
 ——— distribution and functions of, in the vegetable kingdom, 58.
 ——— nutritive value of, 330, 485.
 Aspidospermine and its salts, 54.
 Atmosphere, apparatus for estimating oxygen in, 137.
 ——— estimation of aqueous vapour in, 420.
 ——— estimation of carbonic acid in the, 420.
 ——— presence of arsenic in, 585.
 ——— proportion of carbonic anhydride in, 605.
 ——— variations in the carbonic anhydride of, 699.

Atmosphere, variations in the composition of, 698.
 Atomic heat of glucinum, 850.
 ——— of oxygen, 850.
 Atomicity, periodic, history of, 605.
 Atropine, 481, 674.
 ——— artificial, 410.
 ——— light, 561.
 Atropyltropine, 715.
 Azobenzene, paradibrom-, 880.
 ——— paradichlor-, 880.
 ——— mononitrodichlor-, 880.
 Azobenzene-cresol-sulphonic acid, 716.
 Azobenzene-diamidotoluene nitrate, 715.
 Azobenzene-disulphonaphthol, 881.
 Azobenzenedisulphonic acids and their salts, 805, 806.
 β -Azobenzenedisulphonic chloride, 806.
 Azobenzene-hydroxycarboxylbenzene, 715.
 Azobenzenemonosulphonic acid, paradichlor-, 880.
 Azobenzene-pyrogallol, 390, 715, 880.
 Azobenzene-sulphocresol, 881.
 Azobenzenesulphonamide, 805.
 Azobenzenesulphonic acid and its salts, 804.
 ——— chloride, 804.
 Azobenzene - trinitro - hydroxybenzene, 715.
 Azobenzene - trinitro - oxybenzene, 389, 880.
 Azo-colours, new, 359, 715.
 Azo-derivatives, some, 389.
 Azonaphthalene-sulphoxyl-orthonitroxyl-benzene, 881.
 Azophenetol, dinitro-, 466.
 Azophenyldisulphonic acid, potassium salt of, 322.
 Azophenylethyl, 243.
 Azotoluenesulphonamide, 807.
 Azotoluenesulphonic acids and their salts, 806, 807.
 ——— chlorides, 806, 807.
 Azoxybenzene, conversion of, into oxyazobenzene, 556.
 ——— mononitroparadichlor-, 880.
 Azoxybenzenesulphonamide, 807.
 Azoxybenzenesulphonic acid and its salts, 807.
 ——— chloride, 807.

B.

Bacillus amylobacter (butyric ferment) in the carboniferous period, 334.
 ——— *ureæ*, 133.
 Bacteria, chemical composition of, in putrefying liquids, 176.

Bacteria, effect of putrefactive changes on, 726.
 ——— formation of vinegar by, 334.
 ——— in the atmosphere, 727.
 ——— influence of the galvanic current on, 726.
Balsamum antarthriticum indicum, 168.
Baptisia tinctoria, 411.
 Barium allylate, 794.
 ——— borodecitungstate, 612.
 ——— cholate, 55.
 ——— chrysoquinonedisulphate, 264.
 ——— dichromate, preparation of, 444.
 ——— dioxide, dissociation of, 610.
 ——— ——— hydrated, composition of, 610.
 ——— formionitrate, 32.
 ——— isobutyrate and acetate, 799.
 ——— oxide, action of sulphurous anhydride on, 606.
 ——— peroxide, estimation of active oxygen in, 744.
 ——— platinochloride, solubility of, in alcohol, 578.
 ——— thioglycollate, 236, 237.
 Barks, cinchona and other, valuation of, 764.
 Barley, depreciation of, by overgrowth, 179.
 ——— malting, moisture in, 776.
 ——— manuring of, 135.
 Basaltic lavas of the Eifel, 19.
 Basalts of Azkhur on the Upper Kur, 615.
 ——— Silesian, and their mineral constituents, 19.
 Base, a new, 387.
 ——— from chlorophenylthiocarbimide, 388.
 Bases, aromatic, a series of, isomeric with the thiocarbimides, 387.
 ——— formation of, from acid amides, 547.
 ——— from fusel oil, 234.
 ——— of the oxalic acid series, 547.
 ——— primary aromatic, condensation-products of aldehydes with, 39.
Bassia longifolia, 519.
 Bast fibre, chemistry of, 666.
 ——— ——— derivative from, 667.
 Bat-guano from various sources, 345.
 Bay-tree, Californian, ethereal oil from, 670.
 Beech-leaves, frozen, constitution of, 416.
 Beer, carbonic anhydride in, 774.
 ——— effect of hard and soft water on the brewing of, 593.
 ——— Hamburg, analyses of, 833.
 ——— influence of light on, 200.
 ——— new clarifier for, 931.
 ——— Speyer, analysis of, 773.

- Beer-mash, malt extract and maltose in, 776.
- Beer-wort, Bohemian, composition of, determined by chemico-optical processes, 189.
- Beers, English, analysis and composition of, 353.
- Bees, activity of, 415, 725.
- Beet, ash of, 922.
- cultivation of, 736, 917.
- distribution of potassium nitrate in, 733.
- estimation of sap in, 829.
- examination of, and the amount of sugar the roots contain, 586.
- experiments with various sorts of, 59.
- influence of the leaves on the production of sugar in, 336.
- manuring of, 185, 418.
- method of selecting, for seeding, 134.
- relation of yield of, to rain and sunshine, 178.
- sap-quotient of, 931.
- Beet-juice, estimation of sugar in, 144.
- fermentation produced in preparing syrups from, by diffusion, 519, 931.
- occurrence of tricarballic and aconitic acids in, 36.
- Beet leaves, oxalic acid in, 733.
- Beet mucilage, composition of, 561.
- Beet residues as fodder, 734.
- Beetroot, cultivation of, 821.
- examination of, 495.
- growth of, 502.
- manuring of, 137, 509, 741.
- nitrates in, 494, 495.
- normal relation between the sugar and mineral and nitrogenous matters in, 569.
- planting of, 502.
- researches on, 495.
- run to seed, relation between the sugar and mineral and nitrogenous matters in, 569.
- molasses, trimethylamine from, 233.
- gelatinous matter in, 908.
- Beetroots, proportion of sugar to the weight of, 519.
- Beet sap, organisms in, 334.
- Beet seeds, composition of ash of, 496.
- cultivation and analysis of, 920.
- germination of, 177, 730.
- Beet-sugar, inversion of, for wine, 833.
- manuring experiments with, 923.
- refuse as manure, 742.
- Belladonna, alkaloïds of, 561.
- Belladonnine, 410.
- Benzal chloride, metanitro-, 635.
- Benzaldehyde, action of, on dimethyltoluidines, 636.
- metanitro-, action of aniline hydrochloride and zinc chloride on, 662.
- paranitro-, action of a mixture of aniline hydrochloride and zinc chloride on, 640.
- orthonitro-, action of nascent hydrogen on, 469.
- green, constitution of, 40.
- Benzamidoparatoluide, orthochloro-, 557.
- orthochloro-, action of benzoic chloride on, 557.
- Benzamidophenolsulphonic acids and their salts, 642.
- Benzanilidimide chloride, action of phenol on, 558.
- Benzaurin, 239.
- Benzene, bromacetyl-, preparation of, 659.
- bromo-, preparation of, 316.
- bromoxyl derivatives of, 246.
- derivatives, crystalline forms of, 105.
- diamido-, sulphonic acids from, 394.
- dinitroiodo-, crystallographic constant of, 384.
- dinitrobromo-, 106.
- electrolysis of, 802.
- iodo-, preparation of, 316.
- mononitrotribromo-, 106.
- nitramido-, sulphonic acids from, 394.
- nitrometadiiodo-, crystallographic constant of, 384.
- nitro-orthometatribromo-, crystallographic constant of, 384.
- orthodiamido-, action of ferric chloride on, 162.
- tribromo-, action of nitric acid on, 106.
- Benzene molecule, influence of nitro- and amido-groups on a sulphonic group entering the, 238.
- Benzene ring, closed, synthesis of, 37.
- Benzenedisulphonamide, bromo-, 123, 125.
- Benzenesulphonamide, meta- and paranitro-, action of zinc-dust on, 805.
- Benzenedisulphonic acid, action of fused alkalis on, 320.
- bromo-, 123, 124.
- diazobromo-, 123.
- dibromamido-, 123.
- paramidobromo-, and its salts, 123.
- Benzenedisulphonic acids, amido-, and their salts, 122.

- Benzenedisulphonic acids, di- and tri-bromo-, 124.
 ———— ortho- and met-amido-, and their salts, 124.
 ———— chloride, bromo-, 123, 124.
 Benzenemetadisulphonic acid, 806.
 Benzenesulphonic acid, metadiamido-, and its salts, 395.
 ———— metanitramido-, and its salts, 395.
 ———— α - and β - nitro-, 239.
 ———— orthodiamido-, and its salts, 394.
 ———— orthonitramido-, and its salts, 394.
 ———— acids, nitro-, amido-mercaptans from, 389.
 Benzenylamidophenyl mercaptan, 885.
 Benzhydrol and naphthalene, condensation of, 478.
 Benzidine, 808.
 Benzmetamidoparatoluide, anhydro-ortho-chloro-, 557.
 Benzmetanitroparatoluide, ortho-chloro-, 557.
 Benzofuroin, 798.
 Benzoic acid, formation of, in the animal organism during fever, 716.
 ———— solubility of, 471.
 ———— dinitro-, 471.
 ———— met-amido-, action of, on helicin, 126.
 ———— metaparatodinitro-, and its salts, 647.
 ———— nitro-amido-, 119.
 ———— nitro-ortho-bromo-, 119.
 ———— ortho-bromo-, and its salts, 118.
 ———— parametabromortho-amido-, 648.
 ———— paranitro-, action of bromine on, 647.
 ———— paranitro-, nitration of, 549.
 ———— paraorthodinitro-, preparation of, 549.
 ———— acids, nitro-, 647.
 ———— nitro-, Fittica's, 251.
 ———— chloride, metanitro-, 253.
 ———— cyanide, metanitro-, 253.
 Benzophenone, dihydroxy-, 240.
 Benzotrichloride, compounds of, with phenol and tertiary aromatic bases, 239.
 Benzoyl carbinol, oxidation of, 645.
 Benzoyl cyanide, orthonitro-, test for, 68.
 Benzoyl-acetic anhydride, 31.
 Benzoylaniline, 804.
 Benzoylphthalylaniide, 804.
 Benzoyltropeine, and its salts, 714.
 Benzoparatoluide, di- and trinitro-ortho-chloro-, 557.
 ———— ortho-chloro-, and its derivatives, 557.
 Benzyl bromide, parachloro-, 879.
 ———— bromides, monobromo-, relative displaceability of bromine in, 161.
 ———— compounds, orthobromo-, 879.
 ———— parachloro-, 879.
 ———— derivatives containing sulphur, 811.
 ———— mercaptan, action of bromine on, 811.
 ———— action of sulphuric acid on, 810.
 ———— orthothioformate, crystalline form of, 646.
 ———— sulphides, parachloro-, 879.
 ———— thiobenzoate, 811.
 Benzylamarine benzyl chloride, 882.
 Benzylamidophenyl mercaptan, 386.
 Benzylidenemonophenyldiamine, 639.
 Benzylmethylacetic acid, 628.
 Benzylmethylmalonic acid, 628.
 Benzylsulphonamide, 812.
 Benzylsulphonic acid, parachloro-, and its salts, 879.
 ———— chloride, 812.
 Benzylthiacetamide, 34.
 Benzylthiacetic acid, 34.
 Berberine, preparation of, 169.
 ———— salts, 169.
 Bessemer converters, gases from, 769.
 ———— steel plates, 356.
 Biebrich scarlet, 559, 813.
 Bilberries, colouring-matter of, 927.
 Birch, mineral constituents of, 343.
 Bismuth containing arsenic, behaviour of, towards nitric acid, 219.
 ———— detection of, 752.
 ———— method for estimating, volumetrically, 753.
 ———— minerals from Wermland, 14.
 ———— nitrate, basic, preparation of, free from arsenic, 219.
 Bituminous rocks, commercial valuation of, 682.
 Bleaching sugar syrups by ozone, 74.
 Bleaching powder, action of, on propyl, butyl, and amyl alcohols, 456.
 ———— formation and constitution of, 789.
 Bleeding of vines, researches on, 133.
 Blood, detection of carbonic oxide in, 817.
 ———— disinfection and preservation of, for agricultural purposes, 929.
 ———— physiology of sugar in relation to, 486.
 Blood-stains, 926.
 Blossoms, influence of smoke on the development of, 177.
 Blowpipe assay of silver lead, 585.
 Bodies, relations between the physical properties of, and their chemical constitution, 685.

Bone-black, action of, on sugar solutions, 758.
 ———— certain properties of, 834.
 Bone-meal, adulteration of, 354.
 ———— adulteration of, with phosphorite, 516.
 ———— as a manure for potatoes, 739.
 Borax, influence of, on the decomposition of albumin in the organism, 907.
 ———— physiological action of, 415.
 Boric acid as a preservative, 767.
 ———— influence of, on acetous fermentation, 819.
 Borneol and camphor, relations of the camphenes obtained from, 324.
 Boron, analysis of organic compounds containing, 61.
 ———— quantivalence of, 395.
 ———— fluoride, action of water on, 435.
 Borophosphate of magnesium and calcium, analysis of, 447.
 Borotungstates, 612.
 Botanical preparations, liquid for the preservation of, 596.
 Brasilin, 248.
 Breathing of plants and animals, 911.
 Brine-springs of Volterra, salts obtained from the mother-liquors of, 146.
 Bromamylene, 376.
 Bromethylpara- and ortho-nitrophenol, 316.
 Bromine, density of, at high temperatures, 432.
 ———— rate of substitution by, in the acetic acid series, 539.
 ———— relative displaceability of, in the monobromobenzyl bromides, 161.
 ———— solidifying point of, 215.
 β -Bromisobutyric acid, 379.
 β -Bromostyrene, 43.
 Bronze, tungsten-manganese, 199.
 Bronzite from Dun Mountain, near Nelson, New Zealand, 857.
 Bunt in wheat, sulphurous acid as a remedy for, 572.
 Butter, adulteration of, 423.
 ———— analysis of, 69, 828.
 ———— analysis of two ancient samples of, 357.
 ———— coefficients of expansion of, 70.
 ———— preservation of, 932.
 ———— testing, 587.
 Butterine, coefficients of expansion of, 70.
 Butyl alcohol, action of bleaching powder on, 456.
 ———— preparation of, from glycerol, 819.
 ———— cyanate, tertiary, 228.
 ———— hippurate, normal, 870.
 Butylamine, 546.

β -Butylhydrophenylbetaine, 542.
 Butyraldehyde, β -chloro-, 235.
 Butyramide, β -amido, 461, 541.
 β -Butyranilbetaine, 462.
 Butyranilide, β -amido-, hydrochloride of, 462.
 Butyric acid, amido- (amidodimethylpropionic acid), 101.
 ———— β -amido, 541.
 ———— bromo-, acids of the formula $C_8H_{14}O_4$, derived from, 543.
 ———— α -bromo-, decomposition of, by water, 380.
 ———— calcium and barium double salt of, 799.
 ———— β -chloro-, some derivatives of, 541.
 ———— β -monochloro-, 99.
 ———— ferment (*Bacillus amylobacter*) in the carboniferous period, 334.

C.

Cabbages, manures for, 506.
 Cacao rind as fodder for calves, 502.
 Cadmium, arsenates of, 216, 217.
 ———— estimation of, in presence of zinc, 748.
 ———— zinc, and copper, separation of, 748.
 Calamine, analysis of, 857.
 Calcite, crystallography of, 530.
 ———— pseudomorphs of, after aragonite, 15.
 Calcium, dissociation of, 597.
 ———— spectrum of, 361.
 ———— carbonate in water filtered through dry soil, 59.
 ———— pentahydrated, 789.
 ———— and ammoniacal salts, reactions between, 700.
 ———— cyanide, formation of, from melam, 308.
 ———— glycerate, fermentation of, 819.
 ———— iodide with silver iodide, compound of, 442.
 ———— lactate, fermentation of, 819.
 ———— levulosate, 539.
 ———— oxalate in plants, 914.
 ———— oxide, action of sulphurous anhydride on, 606.
 ———— behaviour of, with carbonic anhydride, 5.
 ———— crystallised, 700.
 ———— phosphates, action of ammonium citrate on, 825.
 ———— phosphite, 5.
 ———— phthalate, products of the dry distillation of, 255.

- Calcium, platinochloride, solubility of, in alcohol, 579.
- saccharate, tribasic, 864.
- and magnesium compounds as refractory and dephosphorising materials, 831.
- Calculus from a horse, analysis of, 174.
- Calico-printing, use of thiocyanates in, 358.
- Calorimetrical temperature - determinations, 434.
- Calves, cacao rind as fodder for, 502.
- Camphene, inactive, 669.
- hydride, 669.
- Camphenes obtained from borneol and from camphor, relations of, 324.
- Camphimide, 892.
- Campho-carbonic acid, 892.
- Camphor, action of phosphorus pentachloride on, 717.
- oxidation of, 559.
- amido-, 891.
- bromo-, action of zinc chloride on, 892.
- — constitution of, 892.
- Camphor, bromonitro-, 891.
- chlorides, 717.
- compounds, constitution of, 50.
- nitro-, 891.
- and borneol, relations of the camphenes obtained from, 324.
- Camphoric acid, preparation of, 893.
- anhydride, preparation of, 893.
- Camphothymol, ethyl ether of, 247.
- Camphrene, constitution of, 50.
- Cane-sugar, action of bromine on, 795, 864.
- — mannitol as a bye-product in the formation of lactic acid from, 100.
- — refined, detection of starch-sugar mechanically mixed with, 758.
- — synthesis of, 29.
- Caoutchouc, formation of, 323.
- Caproic acid, 872.
- — α -bromo-, amido-acids from, 543.
- — dibromo-, 377.
- — dibromo-, action of water on, 377.
- — isodibromo-, 377.
- — isodibromo- action of water on, 377.
- — moniodo-, 377.
- — monobromo-, 377.
- — normal, lactone of, 799.
- — tetrabromo-, action of water on, 378.
- Carbamide, dibromophenyloxethylene-, 634.
- diorthotolyl-, 245.
- ethyl-, and some of its derivatives, 383.
- Carbamide, metaditolyl-, 245, 713.
- mono- and di-anisyl-, 641, 642.
- mono- and di-phenylethyl-, 242.
- para- and meta-tolyl-, 245.
- tetranitro - diphenyl-, constitution of, 812.
- tolyl-, ortho-, and meta-, 713.
- Carbamide-acetosulphonic acid, a new derivative of thiohydantoin, 877.
- Carbamides derived from the isomeric toluidines, 245.
- Carbamido-palladious chloride or palladoso-uramionium chloride, 161.
- Carbanilide, 622.
- Carbazol, 660.
- action of oxalic acid on, 245.
- hexchloro-, 661.
- octochloro-, 661.
- — action of antimony perchloride on, 661.
- tetranitro-, 660.
- trichloro-, 660.
- — compound of, with picric acid, 661.
- Carbohydrates from the tubers of the Jerusalem artichoke, 619.
- sulphates of, 28.
- table of the absorption of, in the human intestinal canal, 564.
- Carbon, electric conductivity of, as affected by temperature, 837.
- estimation of, in cast-steel, 289.
- existence of, in the coronal atmosphere of the sun, 429.
- total, estimation of, in iron and steel, 751.
- bisulphide, action of phosphonium iodide on, 370.
- compounds, solid, molecular volumes and specific gravities of, 694.
- — thermo-chemical investigation of the theory of, 785.
- dioxide, reduction of, by phosphorus at the ordinary temperature, 237.
- monoxide, oxidation of, by moist air in presence of phosphorus, 237.
- Carbonates, determination of carbonic acid in, 346.
- heat of formation of, 82, 361.
- Carbonic anhydride, determination of, in carbonates, 346.
- — estimation of, in the air, 420.
- — in the air, 334.
- — absorption of oxygen and expiration of, by plants, 416.
- — behaviour of calcium oxide with, 5.
- — behaviour of, in relation to pressure, volume, and temperature, 691.

- Carbonic anhydride, density of, at a high temperature, 434.
 ——— estimation of, in gases, 573.
 ——— free, in soils, 505.
 ——— from muscle, 330.
 ——— heat of neutralisation of, 362.
 ——— proportion of, in the air, 605, 788.
 ——— reduction of, by phosphorus at ordinary temperatures, 298.
 ——— variations in, of the atmosphere, 699.
 ——— reduction of, to carbonic oxide by red-hot stannous oxide, 574.
 Carbonic oxide, action of, on alkaline hydrates at high temperatures, 459.
 ——— action of, on dry metallic alcoholates, 622.
 ——— detection of, in blood, 817.
 ——— evolution of, from red-hot iron stoves, 592.
 ——— reduction of carbonic anhydride to, by red-hot stannous oxide, 574.
 Carboniferous period, butyric ferment (*Bacillus amylobacter*) in, 334.
 Carbonyl bromide, 627.
 ——— hæmoglobin, 816.
 Carica fat acid, 129.
Carica papaya, 128.
 Caricin, 129.
 Caroba beans, digestibility and nutrient power of, 563.
 ——— leaves, 671.
 Carvacrol, 112.
 ——— nitro-, action of nitric acid on the methyl ether of, 884.
 Carvacrolglycollamide, 889.
 Carvacrolglycollic acid and its salts, 889.
 Carvacrolsulphonic acid and its salts, 112.
 Caryophyllaceæ, colouring matter of, 413.
 Caryophyllie acid, 670.
 Caryophyllin, 670.
 ——— acetyl-derivative of, 670.
 ——— chlorine-compounds of, 670.
 Casein, 171.
 ——— action of rennet on, 172.
 Cassia, mineral constituents of, 360.
 Cast-steel, estimation of carbon in, 289.
 Catechol, supposed presence of, in plants, 417.
 Cattle foods, analyses of, 678.
 Caucasian minerals, 615.
 Cellulide in bast fibre, 668.
 Celluloid, 780.
 Celluloquinone from bast fibre, 668.
 Cellulose, action of a mixture of acetic anhydride and sulphuric acid on, 159.
 Cellulose, digestive power of geese for, 330.
 ——— methods of estimating, 761.
 ——— nitro-derivatives of, 372.
 ——— estimation of nitrogen in, 374.
 Cement, 198, 767.
 ——— glycerina-, 428.
 Cerium, volumetric estimation of, 749.
 ——— tungstate, 851.
 Chalybeate springs of Carlstad, 20.
 Characin, 53.
 ——— extracted from algæ by water, 325.
 Charcoal, condensation of gases by, 526.
 Cheese, Danish export, examination of, 934.
 ——— ripening, formation of fat in, 594.
 ——— Roquefort, supposed conversion of albumin into fat in the ripening of, 835.
 Chemical affinity, estimation of, in terms of electromotive force. Part II, 686.
 ——— compounds, effect of light on, 521.
 ——— constants, some, 365.
 ——— equivalence, researches on. Part I, sodium and potassium sulphates, 437.
 ——— researches on. Part II, hydrogen chloride and sulphate, 438.
 ——— reactions, limits and velocities of, 365.
 ——— repulsion, 693.
 ——— technological notes, 516.
 Cherry laurel, effect of cold on, 733.
 Chicory, estimation of, in coffee, 514.
 Chili potash saltpetre, 507.
 ——— saltpetre for beets, 741.
 ——— manure experiments with, 507.
 Chloral, action of potassium cyanide on ammoniacal derivatives of, 102.
 ——— hydrate, decomposition of, 293.
 ——— dissociation of, 209.
 ——— heat of formation of, 293, 604.
 ——— on the heat of formation of gaseous, 434, 435.
 Chloralbenzamide, action of potassium cyanide on, 103.
 Chlorides, volatile metallic, 604.
 Chlorine, behaviour of, at high temperatures, 214, 432.
 ——— density of, at high temperatures, 431.
 ——— detection and estimation of, in presence of iodine and bromine, 509.
 ——— estimation of, in grains and forage, 285.
 ——— estimation of, in must and wine, 586.
 ——— in carbon compounds, easy process detecting, 348.
 ——— suggestion as to the constitution of,

- offered by the dynamical theory of gases, 692.
- Chlorophyll, 53, 266, 560.
- analyses of, 561.
- crystallised, 894.
- from *Eucalyptus globulus*, 894.
- formation of, in the dark, 910.
- in epidermis of foliage of phanerogams, 910.
- Chlorophyllan, 53, 267, 894.
- Chloropurpureo-chromium salts, 10.
- Chloroxalallyline, 546, 547.
- Cholanic acid, 722, 723.
- — relation of, to cholecamphoric acid, 722.
- Cholecamphoric acid, 56.
- — and its relation to cholanic acid, 722.
- Cholic acid, oxidation of, 55, 562, 722.
- — oxidation-products of, 56.
- Choloidanic acid, 723.
- Choloidic acid, 56.
- Chromammonium compounds, 10.
- Chrome alum, 444.
- Chromium, estimation of, 188.
- estimation of, in steel, and in their alloys with iron, 288.
- monoselenide, 527.
- monosulphide, 527.
- oxychloride, 793.
- sesquichloride, 793.
- sesquioxide, action of chlorine on, 793.
- sesquiselenide, 527.
- sesquisulphide, 527.
- Chrysene, derivatives of, 263.
- tribromodinitro-, 263.
- Chrysocolla from Chili, analyses of, 97.
- Chrysoquinone, dibromo-, 263.
- dinitro-, 263.
- Churning, experiments on, 75.
- Cinchomeric acid and its salts, 896.
- Cinchona alkaloids, behaviour of, with potassium permanganate, 895.
- — the form in which they occur in the bark, 898.
- bark, 177, 328.
- analysis of, 190.
- coto, 325.
- Cinchonic acid, constitution of, 410.
- — oxidation of, 409.
- Cinchonidine, constitution of, 409.
- oxidation of, 409.
- Cinchonine, constitution of, 409.
- some derivatives of, 269.
- hydrochloride, action of phosphorus pentachloride, and oxychloride on, 673.
- Cinnabar deposits, genesis of, 221.
- Cinnamic acid, metamido-, 163.
- — metamido, hydrochloride, 163.
- — polymerised, 121.
- Cinnamic acids, monobromo-, 43.
- — aldehyde, formation of, during fibrin-pancreas digestion, 469.
- Cinnamon, mineral constituents of, 360.
- Cinnamyltropeine and its salts, 715.
- Citrate of iron and quinine, analysis of, 68.
- Citric acid, 877.
- — synthesis of, 801.
- Clarifier for beer, new, 931.
- Clarke's method for the separation of tin from arsenic and antimony, 289.
- Clay and loam, difference between, 823.
- Clay-soils, physico-chemical analysis of, 511.
- Clays, contributions to our knowledge of, 155.
- Clearing action of Spanish earth, 517.
- Cleka or false thapsia, resin from, 718.
- Clover, permanent pasture a substitute for, 499.
- — red, composition of, 499.
- — crops, effect of gypsum on the quantity and quality of, 185.
- Clover-seed, relation of the colour of, to its value, 134.
- Clover-sickness, 505.
- Coal, condition in which sulphur exists in, 708.
- — estimation of ash in, 590.
- Coal-dust, influence of, in colliery explosions, 439.
- Coal-gas, detection of, in earth, 684.
- — of different qualities, heating powers of, 766.
- Coal mines, explosion in, due to carbonic anhydride, 220.
- Coal-tar, brown, products from, 263.
- — solubility of some constituents of, 258.
- — colours, new, 358.
- Cobalt, electrolytic estimation of, 583, 751.
- — estimation of, 287.
- — new method of separating nickel from, 287.
- — volumetric estimation of, 347.
- — and nickel, detection of, in presence of each other, 286.
- — separation of iron from, 189.
- Cobalt-glance, 13.
- Cobalt-speiss, 13.
- Cobra poison, 490.
- Cobric acid, 491.
- Coca, 169.
- Cocaine, 169, 411.
- Coffee, adulteration of, with chicory, 514.
- — examination of, 353.
- — "Mogdad," 936.
- Cold, effect of, on cherry laurel, 733.

- Collidine, 480.
 — from aldehyde, 54.
 Colliery explosions, influence of coal-dust in, 439.
 Colophene hydride, 669.
 Colophony in commercial oils, analysis of, 684.
 — products of the distillation of, 893.
 Colouring matter, blue, from the action of paratoluenesulphonic chloride on dimethylaniline, 108.
 — obtained by the action of sodium nitrite on tetramethylparaphenylenediamine, 111.
 — containing sulphur from paraphenylenediamine, 110.
 — from diamidotriphenylmethane, 662.
 — from the action of ammonia on glyoxylic acid, 622.
 — green, from dimethylaniline, 636.
 — new, 559.
 — new, from orcinol, 551.
 — of anguria and colocyynth, 267.
 — of grapes and bilberries, 927.
 — of the Caryophyllaceæ, 413.
 — scarlet, from "acid-yellow," 814.
 Colouring matters, action of infusorial earth on, 427.
 — derived from resorcinol, manufacture of, 426.
 — foreign, in red wine, 191.
 — from furfuraldehyde, 391.
 — from phenols, 881.
 — new coal-tar, 595.
 — new, supplementary notice on, 640.
 — obtained by the action of naphthol on diazoazobenzene, 664.
 — obtained by the oxidation of di- and tetra-methylparaphenylenediamine, 111.
 — of plants, action of ozone on the, 58.
 — produced by the action of diazo-compounds on phenols, 880.
 — some new, 41, 551, 559.
 Colours, phenol-, new class of, 426.
 Colocyynth, colouring matter of, 267.
 Comstock lode, heat of, 858.
 Concretions taken from an abscess in the jawbone of a horse, analysis of, 333.
 Condensed milk, 926.
 Confectionery, adulteration of, 422.
 Convolvulin, 717.
 Copper, acetylenedicarboxylate, 160.
 — ammonium chloride, behaviour of, with ferrous sulphide, 12.
 Copper chromates, basic, 853.
 — detection of, 924.
 — distribution of, in the animal kingdom, 275, 565.
 — electrolytic estimation of, 583.
 — for roofing, valuation of, 826.
 — hydride, 299.
 — normal presence of, in the plants which grow on the primordial rocks, 494.
 — Parkes's method for estimating, 510.
 — phosphide, use of, in the refining of copper, 197.
 — presence of, in food, 490.
 — use of copper phosphide in the refining of, 197.
 — cadmium, and zinc, separation of, 748.
 Copper-pyrites intergrown with fahlerz, 855.
 Copper tin alloys, analogy between the conductivity for heat and the induction balance effect of, 687.
 — estimation of the specific electrical resistance of, 687.
 Corn, most advantageous method of sowing, 181.
 Corundum, artificial production of, 447.
 Cossaité, 533.
 Coto-barks and their characteristic ingredients, 325.
 Cotogenin, 326.
 Cotoïn, 326.
 — tribromo-, 326.
 Cotone, dinitro-, 327.
 Cotton-seed cake as fodder, 500.
 — oil, detection of, in olive oil, 925.
 Cows, milch, flesh-meal as fodder for, 501.
 "Craie grise," 198.
 Cream, composition of, from De Laval's cream separator, 780.
 — butter, whole-milk butter compared with, 932.
 Creaming, experiments on, 75.
 Creatine compounds of the aromatic group, 803.
 — group, compounds belonging to, 897.
 Creatinine group, compounds belonging to, 897.
 Cresol, nitroso-, 109.
 — trinitro-, 109.
 Crops, four-yearly rotation of, 185.
 Crotonic acid, formation of, from allyl cyanide, 99.
 Crystalbumin, 816.
 Crystallifibrin, 816.
 Crystallin, non-identity of the soluble

albuminoids of, with those of white of egg and serum, 815.
 Crystallographic constants of some benzene derivatives, 384.
 Crystals, step-like and skeleton-growth of, 529.
 Cumene, synthesis of, 384.
 Cumenesulphamides, 166.
 Cumenesulphonic acids, 166.
 Cumic acid, crystalline form of, 549.
 Cumic alcohol, cymene from, 106.
 Cumidic acid, 479.
 Cuminaldehyde, 251, 467.
 — nitro-, and its derivatives, 251.
 — — oxidation of, 251.
 — — reduction of, 251.
 Cuminic acid, nitro-, 251.
 Cuminol and dimethylaniline, some compounds of the leuco-base from, 640.
 Cuminuric acid, and its salts, 38.
 Cumol, a new, 166, 167.
 Cumphenolglycollic acid and its salts, 883.
 Cumphenols, 882, 883.
 Cumyl chloride, 107.
 Cupric oxide, oxidising action of, 32.
 Cuprous chloride (*sic*), heat of formation of, 361.
 — — thermo-chemistry of, 208.
 Curd formation, 900.
 Curds, composition of, 934.
 Cuscamidine, 329.
 Cuscamine and its salts, 329.
 Cyanamide, action of formic and other acids on, 371.
 — action of hydroxylamine hydrochloride on, 370.
 — action of, on dimethylamine hydrochloride, 233.
 — action of phenol on, 370, 371.
 — constitution of, 309.
 — preparation of, 307.
 Cyanethine, 31.
 Cyanides, heat of formation of, 839.
 Cyanite, crystallisation of, 614.
 — crystal-system of, 534.
 Cyanogen, amount of heat evolved on solution of, in water, 435.
 — heat of combustion of, 840.
 — heat of formation of, 361, 840.
 Cyanomelamidine, 311.
 Cyanopropionic acid and its salts, 460.
 Cymatolite from Goschen (Mass.), composition of, 225.
 Cymene, action of iodine on, 463.
 — behaviour of, in the animal organism, 38.
 — from cumic alcohol, 106.
 — new, from light resin oil, 878.
 — transformation of amylene and valerylene into, 710.

Cymene, dibromo-, oxidation of, 632.
 Cymenecarboxylic acid, 163.
 Cymenesulphonamide, 107, 878.
 — oxidation-products of, 257.
 Cymenesulphonic acids, 878, 890.

D.

Date-palm, sugar from, 100.
 Datura, alkaloids of, 561.
 Daturine, 481, 482.
 Daylight, measurement of the actinism of, 685.
 — method for the continuous measurement of the intensity of, and of its application to physiological and botanical researches, 188.
 Delphinine, test for, 763.
 Density of bromine at high temperatures, 432.
 — of chlorine at high temperatures, 431.
 — of iodine at high temperatures, 432, 433.
 — some gases at a high temperature, 434.
 — of vapours which attack porcelain at a red heat, estimation of, 149.
 — and refractive power, chemical constitution of organic compounds in relation to their, 295.
 Deoxalic acid, 36.
 Dephosphorising materials, magnesium and calcium compounds as, 831.
 Desmine, 856.
 Dew, amount of, on plants, 493.
 Dextran, 908.
 Dextrosechloride - tetrasulphonic acid, 28.
 Diacetamidofluorene, 814.
 Diacetoneamine, products of oxidation of, 101.
 Diaceto-phenolphthalin, 655.
 Diaceto-tetrabromophenolphthalein, 654.
 Diaceto-tetrabromophthalidin, 656.
 Diacetoxyl-dextrotartaric anhydride, 876.
 Diacetoxyl-phenolphthalein, 653.
 Diacetylquinol, 317.
 — dinitro-, 317.
 Diacetylracemic anhydride, 877.
 Diacetyltetrabromophthalin, 655.
 Diallagite from Dun Mountain, near Nelson, New Zealand, analysis of, 857.
 Diallyl, constitution of, 370.
 Diallylcarbinol, methyl and ethyl ethers of, 372.
 — oxidation of, 382.
 Diallylmalonic acid, 628.

- Diallylmethylcarbinol, formation of β -methoxyglutaric acid from, 383.
 Diallyloxamide tetrabromide, 547.
 Dialysed iron, constitution and properties of, 356.
 Diamido-azonaphthalene hydrochloride, 715.
 Diamidotriphenylmethane, 39.
 Diammonium pentanitro-diazo-amidomonoxymonofluorescein, 552.
 Diamond, artificial formation of, 707.
 — hemihedry of, 854.
 Diamylbenzene, 107.
 Diamylene, hydrocarbon, $C_{10}H_{16}$, from, 231.
 Diastase, 132, 562.
 — action of, on starch, 132.
 — action of, on starch in presence of hydrochloric acid or pure gastric juice, 330.
 — action of, on starch-paste, 310.
 — composition of, 176, 561.
 Diazoazobenzene, colouring matters obtained by the action of naphthol on, 664.
 Diazobenzene, action of cyanogen compounds on, 316.
 Diazobenzenedisulphonic acid, 806.
 Diazobenzene nitrate, bromo-, action of potassium cyanogen on, 41.
 — sulphate or nitrate, action of potassium cyanide on, 41.
 Diazo-compounds, action of hydrocyanic acid on, 41.
 Diazohydroazobenzenesulphonic acid, 808.
 Diazoparabenzenedisulphonic acid and its salts, 122.
 Dibenzyl, new method of forming, 259.
 Dibenzoyldextrotartaric anhydride, 876.
 Dibenzoyllepittonic acid, 165.
 Dibenzoylhydrocotone, 327.
 — dibromo-, 327.
 — tetrabromo-, 327.
 Dibenzyl, action of chlorine on, 46.
 — paradichloro-, 46.
 Dibenzylamarine, 882.
 Dibenzylsulphone, 811.
 Dibutylamine, 546.
 Dibutylactic acid, 871.
 Dicamphorilimide, 892.
 Dicalcium phosphate, 442.
 Dicarbopyridenic acid, 269.
 Dichloracetic acid, 801.
 Dichlorethylamine, spontaneous decomposition of, 311.
 Dichlorhydrin, action of bromine on, 99, 862.
 Dicotin, 326.
 Dicyanamide, 237.
 Diethylacetic acid? 376.
 Diethyl dextrotartrate, 876.
 Diethylenediphenyldiamine, dinitroso-, 112.
 Diethylenediphenylenetetramine, 112.
 β -Diethyl-ethylenelactic acid, 382.
 Diethyl ethylenesalicylate, 316.
 Diethylidenelactamic or α -imidopropionic acid, 813, 801.
 Diethylphenyltetrazone, 243.
 Diethylsulphone, 811.
 Diffusion experiments with acid solutions of mixtures of salts, 89.
 — researches on, 526.
 Difurfurotylenediamine, 391.
 Digallic acid, action of sulphuretted hydrogen on, 551.
 Digestion in sheep, 484.
 — of albuminoids, 484.
 — of food by the horse when at work, 414.
 Diglucose, 30.
 Diglycid, 29.
 Diheptene, 894.
 Diheptylactic acid, 314.
 Dihydrobenzophenone, 240.
 Diimidonaphthol hydrochloride, action of ortho- and para-toluidine on, 399.
 Dimethacrylic acid, new mode of forming, 624.
 Dimethoxyl-tetretroxyl-pararosaniline, 250.
 Dimethyl amidoethylformate, 312.
 — dextrotartrate, 876.
 — racemate, 876.
 Dimethylacetic acid, amido- (amido-valeric acid), 101.
 Dimethylacrylic acid, 315.
 Dimethylamarine, 882.
 Dimethylamine hydrochloride, action of cyanamide on, 233.
 Dimethylaniline, action of benzoic anhydride on, 636.
 — action of bromacetylbenzene on, 639.
 — action of α -naphthalenesulphonic chloride on, 108.
 — action of paratoluenesulphonic chloride on, 108.
 — bromo-, 107.
 — ferro- and ferri-cyanides of, 98.
 — nitroso-, 99.
 — — action of, on phenols which do not contain the methyl group, 162.
 — parabromo-, 108.
 — pentanitro-, 108.
 — preparation of, 802.
 — and cuminol, some compounds of the leuco-base from, 640.
 — and dimethylphenylenediamine, oxidation of a mixture of, 391.
 Dimethylaniline-phthalein, 41.
 Dimethyl-dikatabutylethylene, 231.
 Dimethylethylcarbamine, 546.

Dimethyl-ethyl-carbinol, heat of combustion of, 787.
 Dimethylguanidine, 233.
 Dimethylic methylpyrogallate, 249.
 Dimethylmetatoluidine, action of bromacetylbenzene on, 639.
 — bromo-, 109.
 — derivatives, 109.
 — dinitro-, 109.
 — nitro-, 109.
 — nitroso-, constitution of, 386.
 — — hydrochloride of, 109.
 Dimethylnaphthylamine, 813.
 Dimethylparaphenylenediamine, action of bromine on, 110.
 — ethoxamate, action of nitrous acid on, 110.
 — colouring matters obtained by the oxidation of, 111.
 — derivatives, 110.
 Dimethylphenylenediamine and dimethylaniline, oxidation of a mixture of, 391.
 Dimethylphenylglycocine or phenyl-betaïne, 162.
 Dimethylpropionic acid, amido- (amidobutyric acid), 101.
 Dimethylpyrroline, 404.
 Dimethylsulphanilic acid, salts of, 321.
 Dimethyltoluidines, ferro- and ferricyanides of, 98.
 Dimethyltolylenediamine, 109.
 — oxidation of, 386.
 Dimethyltriamidobenzene, 110.
 β -Dinaphthylamine, 813.
 Dinaphthylketone, vapour-density of, 679.
 Dioctyl, 229.
 Dioctylacetic acid and its salts, 628, 872.
 Dioctylacetone, 872.
 Dicotylmalonic acid, 628.
 Diorcoxydiacetic acid and its salts, 393.
 — acids, mononitro-, two isomeric, 394.
 Diorite from Diez in the Rupbachthal, Nassau, analysis of, 857.
 Diorthotolylguanidine, β -dicyano-, hydrochloride of, 803.
 Dioxethylmethylene, 307.
 Dioxybenzhydrol, 658.
 Dioxybenzophenone and some of its salts, 646.
 Dioxybenzophenone, tetrabromo-, 657.
 Dioxyfumaric acid, pure, preparation of, 383.
 α -Dioxyphenylanthranol, 656.
 Dioxytriphenylmethane-carboxylic acid, 654.
 Diphenic acid, β -dinitro-, and its salts, 814.
 — anhydride, 812.

Diphenic anhydride, compound of, with resorcinol, 812.
 — — phthaleïn of, 812.
 — chloride, 812.
 Diphenol, oxidation of, 250.
 — tetrabromo-, oxidation of, 643.
 — — preparation of, 643.
 — tetrachloro-, preparation of, 644.
 Diphenolquinone, tetrabromo-, 643.
 — tetrachloro-, 644.
 Diphenyl, 262.
 — amido-disulphhydrate, 891.
 — disulphhydrate, 477.
 — disulphide, 476.
 Diphenyl-paramido-parasulphhydrate hydrochloride of, 890.
 — sulphide, 476.
 — sulphocyanide, 477.
 — sulphur-derivatives of, 476.
 Diphenylaldehyde, 118.
 Diphenylamine, 813.
 Diphenylamine blue, 75.
 Diphenylarsinic acid and its salts, 397.
 Diphenylarsenious chloride, 396.
 Diphenylcarbinol, 559.
 — ethyl and amyl ethers of, 558, 559.
 Diphenylcarbinolcarboxylic acid, dichloro-, 654.
 Diphenyldibromomethane, 558.
 Diphenyldiimidonaphthol, 399.
 Diphenyldimethylamidodisulphone, 108.
 Diphenyldisulphacetic acid, 477.
 Diphenyldisulphamide, 477.
 Diphenyldisulphonic chloride, 477.
 Diphenylethane, 260.
 Diphenylethylamine, 242.
 — hydrochloride, 241.
 Diphenylethylene, unsymmetrical, 158.
 Diphenyl mercaptan, 476.
 Diphenylmethane, action of bromine on, 558.
 — tetramethyldiamido-, 40.
 Diphenylmethyl acetate, 559.
 Diphenylmonobromomethane, 558.
 — action of water on, 559.
 Diphenylmonosulphacetic acid, 477.
 Diphenylmonosulphamide, 476.
 Diphenylmonosulphinic acid, 477.
 Diphenylmono- and di-sulphonic acids, nitro-derivatives of, 890.
 Diphenylmonosulphonic chloride, 476.
 Diphenylphthalide, 650.
 — anthracene derivatives of, 651.
 — conversion of, into phenolphthaleïn, 652.
 — derivatives of, 650.
 — diamido-, 652.
 — dichloro-, or chloride of phenolphthaleïn, 654.
 — dinitro-, 652.
 Diphenylpropane, synthesis of, 259.

Diphenylsulphone, 476.
 Diphenylthiacetic acid, amido-, 890.
 Diphenylthiohydantoin, formula of, 45.
 Diphenylene ketone, 812.
 ——— dinitro-, reduction of, 814.
 ——— mono- and di-nitro-, 814.
 Diphenyleneketone-carboxylic acid, 401.
 ——— nitro-, 401.
 Dipropionylquinol, 317.
 Dipropyl dextrotartrate, 876.
 β -Dipropyl-ethylenelactic acid, 382.
 Distillery material, seeds of the corn
 cockle as, 501.
 Dispersion, table of the coefficients of, of
 organic compounds, 781.
 Distyrene, 121.
 Disulphanilic acid and its salts, 122.
 Dithionic acid, basicity of, 5.
 Ditolyamine, acetometa-, 714.
 ——— nitro-para-, 714.
 ——— para- and meta-, 714.
 Dog biscuit, examination of, 836.
 Double salts, existence of, in solution,
 32.
 Drink, adulteration and examination of,
 422.
Drosera, nutrition of, 820.
Drosera intermedia, acid of, 36.
 Drugs, testing, 71.
 Dry matter, increase of, in several agri-
 cultural plants during growth, 416.
 Dualin, 596.
 Duboisia, alkaloid of, 561.
 Duboisine, 675.
 Dust showers of Sicily and Italy, pre-
 sence of iron in, 709.
 Dye-stuffs, a new series of, 474.
 ——— of the rosaniline group, 390.
 ——— two, from metanitrodiamido-
 triphenylmethane, 663.
 ——— two new, 717.

E.

Earth, detection of coal-gas in, 684.
 Earthenware goods, contributions to our
 knowledge of, 155.
 Earths of the yttria-group, spectra of, 7.
 ——— rare, magnetic properties of the
 oxides of, 839.
 ——— and their salts, molecular
 heats and molecular volumes of, 838.
 Eclogite, composition of, 16.
 Edible earth from Japan, analysis of,
 702.
 Effluent water, industrial, injurious
 effect of, on soils and plants, 497.
 Ekabor, or ekaboron, 8, 851.
 Electric arc, alternating currents, and
 the electromotive force of, 783.

Electric arc, formation of hydrocyanic
 acid in, 23.
 ——— temperature of, 206.
 ——— discharge of the chloride of silver
 battery, 203.
 ——— lamp, smoke of, 81.
 Electrical discharges, phosphorescence
 produced by, 204.
 ——— resistance of certain copper-tin
 alloys, estimation of, 687.
 Electricity, atmospheric, 783.
 ——— influence of, on the growth of
 plants, 909.
 ——— direct transformation of radiant
 heat into, 838.
 Electro-brass plating, 425.
 Electro-capillary thermometer, 205.
 Electrolysis, oxidation of alcohols by, 24.
 Electro-optic observations on various
 liquids, 599.
 Elements, magnetic properties of, and
 Mendeleeff's periodic law, 206.
 ——— solid, specific heat and expansion
 of, 783.
 ——— some general relations between the
 chemical mass of, and the heat of for-
 mation of their compounds, 688.
 Ellagene, 394.
 Ellagic acid, constitution of, 43.
Elodea canadensis, nutritive value of,
 500.
 Emetine, 720.
 Emplectite, 222.
 Enamelled cast-iron vessels, 833.
Eperna falcata, 168.
 Epichlorhydrin, action of bromine on,
 457.
 ——— action of nitric acid on, 32.
 ——— action of sodium on, 457.
 ——— constitution of, 457.
 ——— derivatives, 29.
 Epicyanhydrin, 544.
 Epidote, crystal forms of, 534.
 Epihydrin acetate, 29.
 ——— alcohol, 29.
 Erbia, researches on, 6.
 ——— two new elements in, 7.
 Erbium, 157.
 Eruptive rocks in the Saar and Moselle
 districts, 537.
 Erythrocephalein, 720.
 Erythrophyll, 53.
 Erythroxyanthraquinone, 654.
 Erythroxyline, 169.
Erythroxyton coca, 411.
 Esparto fibre, chemistry of, 666.
 Essential oil of *Yerba mausea*, 721.
 ——— oils, examination of, 201.
 ——— limited oxidation of, 51.
 Ethane, halogen derivatives of, 228.
 ——— vapour-tensions of the halogen
 derivatives of, 618.

Ethane, chlorpentabrom-, 228.
 — α -dichlorotetrabrom-, 228.
 — hexbrom-, 228.
 — pentabrom-, 228.
 — tetrabrom-, 228.
 Ethanes, tetrabrom-, 98.
 Ethenylamidophenyl mercaptan, 389, 885.
 Ethenyldibromophenyldiamine, 634.
 Ether, detection of water in, 679.
 Ethereal acetates, preparation of, 104.
 — nitrates, explosive, estimation of nitrogen in, 355.
 — oil from the Californian bay tree, 670.
 — — from paracoto bark, 328.
 — — *Origanum hirtum*, 112.
 — oils, chemistry of, 125.
 — salts of nitric and nitrous acids, ultra-violet absorption spectra of, 202.
 Ethoxybutyric acid, 99.
 Ethoxyisobutyric acid, 871.
 Ethoxynitrotoluic acid, 247.
 Ethoxyphenylacetic acid, 252.
 Ethoxyterephthalic acid, 247.
 Ethoxytoluic acid, 247.
 Ethyl acetate, preparation of, 541.
 — acetyl tetracarbonate, 629.
 — alcohol, some properties of mixtures of, with methylcyanide, 524.
 — allylmalonate, 628.
 — amidoethylformate, 312.
 — azobenzenesulphonate, 805.
 — benzylmethylmalonate, 628.
 — bromophenylamidoacetate, 635.
 — camphoronates, action of ammonia on, 669.
 — carvacrolglycollate, 889.
 — cholanate, 722.
 — β -chlorbutyrate, action of aniline on, 462.
 — chlorocarbonate, action of, on the amines, 311.
 — deoxalate, 37.
 — derivatives of phenylhydrazine, 242.
 — diallylmalonate, 628.
 — dibromophenylallophanate, 633.
 — diheptylacetate, 314.
 — dinitrophthalate, 478.
 — dioctylacetate, 872.
 — dioctylmalonate, 628.
 — diphenylmonosulphonate, 477.
 — ethylmethylmalonate, 627.
 — heptylacetate, 313.
 — iodide, influence of, on germination, 915.
 — iodoacetate, action of ethyl iodide on, 541.
 — isobutylmalonate, 628.
 — isochlorobutyrate, action of potash on, 870.
 — isopropylmalonate, 627.

Ethylmercaptides of mercury and lead, behaviour of, at high temperatures, 796.
 Ethyl metadinitrobenzoate, 471.
 — monobrom- α -naphtholate, 260.
 — monobromobutyrate, action of finely divided silver on, 542.
 — monochlorisobutylmalonate, 629.
 — monochlormalonate, 629.
 — nitracetate, preparation of, 32, 33.
 — nitro-orthobromobenzoate, 119.
 — nitropropionate, preparation of, 33.
 — nitrosobenzylmalonate, 629.
 — nitrosomalonate, 629.
 — octylacetate, 871.
 — orthobromobenzoate, 119.
 — paranitrophenylacetate, 120.
 — phenyldisulphoxide, 812.
 — racemate, 37.
 — suberates, two isomeric, 542.
 — sulphate, 28.
 — — neutral, preparation of, 797.
 — thiobenzenesulphonate, 812.
 — thiocyanopropionate, 312.
 — thymoglycollate, 889.
 Ethylallophanic acid, ether of, 384.
 Ethyl-amido- α -caproic acid, 543.
 Ethylamine, 159.
 — action of mercuric chloride on, 159.
 — thermo-chemistry of, 787.
 — camphorate, action of phosphorus pentachloride on, 548.
 — dichlor-, 233.
 — — spontaneous decomposition of, 311.
 — hydrochloride, decomposition of, by heat, 30.
 Ethylamines, action of ethyl chloride on, 794.
 Ethylbenzene, limited oxidation of, 469.
 — synthesis of, 463.
 Ethylcarbazol, 660.
 — compound of, with picric acid, 660.
 Ethylcarbazoline, 660.
 — iodide, 660.
 Ethylchloroquinoline, 407.
 Ethyleitric acid, 877.
 Ethylcrotonic acid, 375.
 — — brom-, 375.
 — — dibrom-, 376.
 Ethyleumols, 167.
 Ethyl diacetaminine, 868.
 Ethylene chlorobromide, direct formation of, 456.
 — chlorotribrom-, 228.
 — derivatives of phenol and salicylic acid, 316.
 — dibrom-, constitution of, 158.
 — fluobor-, 230.
 — halogen derivatives of, 228.

Ethylene, iodide, 541.
 — iodopicate, 619.
 — nitrodibrom-, 114.
 — perchlor-, action of oxygen on the oxy-derivatives of, 231.
 Ethylenedipara- and ortho-nitrophenol, 316.
 Ethylenediphenyldiamine, preparation of, 112.
 Ethylenediphenyldiamines, action of nitrous acid on, 112.
 Ethylenediphenyldinitrosamine, 112.
 Ethylenediphenylsulphone, 811.
 Ethylenedisalicyclic acid, 317.
 Ethylenefluoboric acid, 28.
 Ethylene glycol, heat of combustion of, 604.
 Ethylhydrocarbostyryl, 406.
 Ethylidenamine silver sulphate, 234.
 Ethylidene bromide, 456.
 — chloridide, 456.
 — monethylate, 24.
 Ethylmethylacetic acid, 628.
 Ethylmethylmalonic acid, 627.
 Ethylnitrolic acid, 712.
 Ethylparatolylsulphone, 811.
 Ethylphenol, ortho-, 39.
 Ethylphenylhydrazine, symmetrical, 243.
 Ethylphenylsulphone, 810.
 Ethylpropylene, 376.
 Ethylpyridene, 269.
 Ethylpyrrol, formation of, from ethyl succinimide, 630.
 β -Ethylquinoline, 407.
Eucalyptus globulus, chlorophyll from, 894.
 Eugenol, action of, on monochloracetic acid, 393.
 Eugenoxyacetic acid, 393.
 Eupittone, 249.
 Eupittonic acid, 164, 249.
 — dibenzoyl-, 165.
 — homologue of, 250.
 Expansion of butter, lard, fats, &c., coefficients of, 70.
 — of liquid and solid bodies, 88.
 — of liquid carbon compounds, 784.
 — of the solid elements, 783.
 Explosion in a coal mine due to carbonic anhydride, 220.
 Explosives, researches on the decomposition of, 780.
 — for blasting, especially nitroglycerine, 595.
 Eye, action of dehydrating agents on the crystalline lens of, 333.

F.

Fallowing, 736.

Farm without stable manure, thirty-eighth year of, 741.
 Fat, amount of, in milk, 330.
 — estimation of, in fodder, 762.
 — in milk, 761, 828.
 — formation of, in the growth of fungi, 337.
 — supposed conversion of albumin into, in the ripening of Roquefort cheese, 835.
 — table of the absorption of, in the human intestinal canal, 564.
 Fats, coefficients of expansion of, 70.
 — saponification of, 762.
 — separation of, from soaps, 587.
 — specific gravities of, 70.
 — various, amount of glycerol liberated on saponification of, 762.
 Fattening of animals, 173.
 Fatty acids, action of phenols on halogen-derivatives of, 392.
 — crude, the acids which are formed by the distillation of, in a current of superheated steam, 540.
 — lower, decomposition of the substitution-products of, by water, 379.
 — nitrated, preparation of, 33.
 — saponifiable, analysis of, 684.
 — oils, analysis of, 684.
 Feeding experiments with pigs, 415, 724.
 — value of some manufacturers' waste, 183.
 Feeding-cakes, effect of, on milk production, 725.
 Feeding stuffs, analyses of, 343.
 Felspars containing barium, strontium, and lead, artificial production of, 449.
 Felspar in the basalt from the Hohen Hagen, near Göttingen, 614.
 "Fer Bravais," 792.
 Ferment, digestive, produced during panification, 776.
 Fermentation, acetous, influence of boric acid on, 819.
 — accompanied by formation of hydrogen sulphide, 132.
 — alcoholic, 276, 277.
 — amount of yeast formed during, 728.
 — changes effected by, in the nitrogenous constituents of sweet mash, 357.
 — chemical changes in nitrogenous substances during, 728.
 — frothy, 518.
 — influence of air on, 819.
 — influence of, on the nitrogenous constituents of potato mash, 819.
 — influence of oxygen on, 908.

Fermentation, lactic, 513.
 — of beet-root sap obtained by diffusion, 931.
 — of glucose, 863.
 — of molasses, 931.
 — quick, apparatus for, 518.
 — schizomycetic, 819.
 — surface-, of potato mash, 518.
 — theory of nitrification, 909.
 — produced in preparing syrups from beet-juice by diffusion, 519.
 Fermented liquors, table of the points of congelation of various, 524.
 Ferments, hydrolytic, of the pancreas and small intestine, 903.
 — starch-altering, in plants, 334.
 — unorganised, in plants, 175.
 Ferric hydrate, colloidal, 792.
 Ferrous iodide, action of potassium chlorate on, 704.
 — — estimation of, 749.
 — oxide, estimation of, in presence of organic acids or sugar, 583.
 — salts, absorption of nitrogen dioxide by, 9.
 — sulphide, behaviour of copper-ammonium chloride with, 12.
 Feuerblende, 304.
 — (Rittingerite) from Chañarcillo, 856.
 Fibrinogen, 172.
 Fibrin-pancreas digestion, formation of cinnamic aldehyde during, 469.
 Field beans, manuring of, 569.
 Fig-tree, a digestive ferment of the juice of, 728.
 Filtering and filter-paper, 573.
 Filter-paper and filtering, 573.
 Fir, mineral constituents of, 343.
 Fishes, injury to, by waste liquids, 490.
 Flames, thermal absorption and emission of, 206.
 "Flashing" in assays of gold, 693.
 Flavo-purpurin, detection of, 424.
 Flax seed capsules and stems, ash analyses of, 343.
 Flesh-meal as fodder for milch cows, 501.
 Flour, adulteration of, 422.
 Fluid meat, nutritive value of, 904.
 Fluoborethylene, 230.
 Fluoranthene, a new hydrocarbon from coal-tar, 400.
 Fluorene, preparation of, from fluorenic acid, 402.
 — diamido-, 814.
 Fluorenic acid and its salts, 401.
 Fluorescence in the anthracene series, 665.
 Fluorine, analysis of organic compounds containing, 61.
 compounds of uranium, 853.

Fodder, analysis of materials used for, 183.
 — beet residues as, 734.
 — cotton-seed cake as, 500.
 — estimation of albuminoids and non-albuminoidal nitrogen-compounds in various kinds of, 764.
 — estimation of fat in, 762.
 — estimation of proteids in, 588.
 — for calves, cacao rind as, 502.
 — for cattle, spent hops as, 502.
 — for milch cows, flesh-meal as, 501.
 — influence of lactic acid in, 905.
 — influence of, on the quantity and quality of milk-fat, 184.
 — influence of, on the secretion of milk, 907.
 — new plant for, 183.
 — seeds of the corn cockle as, 501.
 — spent hops as, 344.
 — *Symphytum aspernum* as, 735.
 — value of acorns as, 917.
 Fog, dry, 439.
 Food, absorption of, 414.
 — adulteration and examination of, 422.
 — presence of copper in, 490.
 Foods, tinned, analysis of various, 594.
 Forage, estimation of chlorine in, 285.
 Forest trees, amount of nitrogen in, 506.
 Forests, influence of, on the rainfall, 737.
 Formic acid, anhydrous and hydrated, vapour-density of, 868.
 — — electrolysis of, 27.
 — — oxidation of, by ammoniacal cupric oxide, 235.
 — — synthesis of, 460.
 — — synthetical formation of, 374.
 Formobromanilide, 634.
 Fowl's dung, composition of, 345.
 Freezing mixtures, 602, 687.
 — point of water, lowering of, by pressure, 845.
 Fruit juices, detection of salicylic acid in, 352.
 — — of different ages, behaviour of, with reagents, 354.
 Fruit trees, manures for, 506.
 Fruits, new method of estimating the air space in, 189.
 — nutritive value of, 733.
 — ripening of, 178.
 Fuel, burning of, in house stoves, 145.
 Fumaric acid, action of iodine on the silver salt of, 801.
 Fume condensing, new process of, 146.
 Fungi, formation of fat in the growth of, 337.
 Furfuraldehyde, 798.
 — colouring-matters from, 391.

Furfuramidobenzoic acid, 392.
 Furfurane or tetraphenol, 663.
 Furfurobenzidine, 392.
 Furil, 798.
 — action of potash on, 798.
 — dibromo-, 798.
 — octobromide, 798.
 Furoin, 798.
 Fusel oil, bases from, 234.
 Fusing points of organic substances, new method of determining, 419.

G.

Gadolinite, the new metals of, 611.
 Galena, estimation of silver in, 748.
 Galenobismuthite, 14.
Galeopsis tetrahit, ash analysis of the hay of, 343.
 Gallic acid, condensation-products of, 394.
 Galvanic couple, new, 149.
 — current, application of, in analytical chemistry, 282.
 — experiments (platinum bases), 300.
 — polarisation, 837.
 Garnierite, analysis of, 771.
 Gas from the Lago di Naftia, or Lago dei Palici, near Etna, analysis of, 345.
 — oxidation of sulphur in, on combustion, 355.
 Gas-liquors, extraction of ammonium thiocyanate from, 358.
 Gas-pipes, peculiar changes in, 198.
 Gaseous mixtures, compression of, 604.
 Gases, absorption of, by liquids, 525.
 — absorption of, by wood charcoal, and charcoal saturated with liquid, 526.
 — action of, on seeds, 280.
 — acid, effect of, on vegetation, 496, 497.
 — estimation of carbonic anhydride in, 573.
 — evolved in the manufacture of sulphuric acid, estimation and testing of, 745, 746.
 — from Bessemer converters, 769.
 — injurious effect of, on soils, 497.
 — liquefaction of, a lecture experiment, 366.
 — motion produced by the diffusion of, 293.
 — perfect, law of Dulong and Petit applied to, 83.
 — relation between molecular weight and density of, 525.
 — relative intensity of the spectral lines of, 685.

Gases, relative space occupied by, 87.
 — solubility of solids in, 210, 693.
 Gasometric methods, 345.
 Geese, digestive power of, for cellulose, 330.
 Geissospermine, and its salts, 675.
 Gelatin, action of hydrochloric acid on, 723.
 — emulsion, 929.
 Germ-diffusion, rapidity of, in the air, 515.
 Germination, influence of ethyl iodide on, 915.
 — influence of salicylic acid and other bodies on, 335.
 Ginger, preparation of soluble essence of, 359.
 Glass, mirror, composition of various kinds of, 516.
 — use of heavy spar in the manufacture of, 516.
 — variations in the coefficient of expansion of, 841.
Gleditschia glabra, composition of the kernels and husks of the seed of, 133.
 Globulin-substances in potatoes, 723.
 Glucinum, atomic weight of, 850.
 — specific and atomic heat of, 850.
 — specific heat and atomic weight of, 792.
 Gluconic acid, and its salts, 795, 863, 864.
 Glucose, 158.
 — electrolysis of, 27.
 — estimation of, 512.
 — fermentation of, 863.
 — inactive, 458.
 — some properties of, 232.
 Glucoside from white mustard-seed, 265.
 Glucosides, complex, formation of, 126.
 Gluten, 482.
 Glycerines, 426.
 Glycerin. See Glycerol.
 Glycerina cement, 428.
 Glycerol, action of baryta on, 712.
 — amount of, liberated on the saponification of fats, 762.
 — electrolysis of, 25.
 — estimation of, 757, 817.
 — estimation of, in wine, 512.
 — heat of combustion of, 604.
 — influence of, on proteid tissue change, 817.
 — influence of, on the decomposition of proteids in the animal body, 817.
 — normal propyl alcohol from, 372.
 — refractive indexes of, 757.
 — some reactions of, 235.
 — table of specific gravities of, 757.
 Glyceryl triacetate, preparation of, 312.
 Glycidic acid, or oxyacrylic acid, 800.

Glycogen, action of the acids of the liver on, 906.
 Glycol, electrolysis of, 26.
 Glycollic acid, preparation of, 379.
 ——— transformation of acetic acid into, 32.
 Glycolymonophenylguanidine, 802.
 Glycyrrhetin, 671.
 Glycyrrhizic acid, action of dilute sulphuric acid on, 671.
 Glycyrrhizin, 671.
 ——— commercial ammoniacal, 671.
 Glyoxylic acid, 621.
 ——— action of alcoholic ammonia on, 622.
 ——— action of aniline on, 622.
 ——— action of sulphuretted hydrogen on, 621.
 Gold, cupelled, influence of superfusion on the molecular arrangement of, 773.
 ——— "flashing" in assays of, 693.
 ——— estimation of, by quartation with cadmium, 679.
 ——— native, 707.
 ——— oxidation of, by galvanic action, 158.
 ——— chloride, reduction of, by hydrogen in presence of platinum, 705.
 Grain, estimation of the value of, 594.
 Grains, estimation of chlorine in, 285.
 ——— from malt, composition of, 148.
 Grape, Riseling, mineral constituents of, 342.
 Grape-must, influence of varying pressures on, 358.
 Grapes, colouring matter of, 927.
 ——— new method of ascertaining the ripeness of, 352.
 ——— picking of, 517.
 ——— quantities of acid and sugar in, cut at various stages of their growth, 179.
 ——— ripening of, 178, 336.
 Grass mowing, 498.
 ——— nutritive value of, at various stages of growth, 329.
 Grass-seeds, amount of oil in, and its relation to their germination, 342.
 Grasses of meadows and pastures, relation of, 498.
 Grey powder, mercuric oxide in, 930.
 Groenhartin, 267.
 Ground-nuts, influence of, on the production of milk, 487.
 Guanidine, an oxidation-product of albumin, 413.
 ——— dicyanodiorthotolyl-, 244.
 ——— α -dicyanotriorthotolyl-, 244.
 ——— dimethyl-, 233.
 ——— di- and tri-orthotolyl-, 244.
 ——— di- and tri-orthotolylloxalyl-, 244.
 ——— thiocyanate, desulphuration of, 311.

Guanidine compounds, aromatic, 802.
 Guanidines, orthotoluidine-, and their cyanogen derivatives, 244.
 ——— substituted, synthesis of, 243.
 "Guano cristalizado," 446.
 ——— deposit of Mejillones, phosphates and boro-phosphates of magnesium and lime in, 446.
 ——— en roche, 446.
 ——— from the Island of Ichaboe, 506.
 ——— nitric nitrogen in, 68.
 Gum ammoniac, action of zinc-dust on, 126.
 ——— products of distillation of, with zinc-dust, 39.
 Gum arabic, commercial, comparative examination of the most important kinds of, 827.
 Gummite, 96.
 Gypsum, effect of, on the quantity and quality of clover crops, 185.
 ——— in the manufacture of sugar, 834.

H.

Hæmatoxylin, behaviour of, on destructive distillation, 248.
 Hæmatoxylin-phthaleïn, 54.
 Hæmoglobin and its compound with oxygen, 816.
 Hæmoglobinuria, 817.
 Hair, human, action of hydrochloric acid on, 723.
 Hair-dyes, analyses of some, 772.
 Halogens, atomic refraction of, 782.
 ——— mutual replacement of, 365.
 Haloïd acids, action of, on the sulphates of mercury, 12.
 ——— etherification of, 711.
 ——— salts, behaviour of acid anhydrides with, in absence of oxygen, 437.
 ——— oxidation of, 436.
 Hay, digestibility of, 916.
 ——— influence of steaming on the digestibility of, 734.
 ——— Norwegian, analyses of, 916.
 ——— steamed, digestibility of, 498.
 Heat, analogy between the conductivity for, and the induction balance effect of copper-tin alloys, 687.
 ——— decomposition of ethylamine hydrochloride by, 30.
 ——— developed on solution and that developed on dilution with complex solvents, relation between, 208.
 ——— difference between the evolution of, during formation of sulphates or nitrates, and of carbonates, 362.

- Heat of combustion, apparatus for measuring, 1.
 — of cyanogen and hydrocyanic acid, 840.
 — of glycerol, and of ethylenic glycol, 604.
 — of some isomeric fatty alcohols and of oenanthol, 787.
 — of sulphur, 785.
 — of the oxides of carbon, 785.
 — of the principal gaseous hydrocarbons, 786.
 Heat of decomposition of certain compounds of hydrogen peroxide, 602.
 Heat of formation of a hydrocarbon, 840.
 — aluminium sulphide, 523.
 — ammonia, 207, 603.
 — ammonium cyanide and sulphide, 151.
 — ammonium salts, 523.
 — ammonium sulphides, 691.
 — anhydrous nitrates, 82.
 — anhydrous sulphates, 82.
 — carbonates, 82, 361.
 — chloral hydrate, 293, 604.
 — cuprous chloride (*sic*), 361.
 — cyanogen, 361, 841.
 — gaseous chloral hydrate, 434, 435.
 — hydrocyanic acid and cyanides, 839, 840.
 — hydrogen persulphide, 691.
 — magnesium sulphide, 523.
 — nitrates, 522, 603.
 — oxides of nitrogen, and of the nitrates, 82, 603.
 — oxides and acids of nitrogen, 82.
 — oxides of carbon and several hydrocarbons, 785.
 — oxides of nitrogen, 82, 522, 603.
 — phosphine, 151.
 — phosphine compounds, 150.
 — potassium chlorate and chloride, 89.
 — potassium polysulphides, 690.
 — salts of succinic acid, 151.
 — silicon sulphide, 523.
 — their compounds, relations between the chemical mass of the elements, and, 688.
 — hydration of potassium polysulphides, 690.
 — neutralisation of carbonic anhydride, 362.
 — the Comstock lode, 858.
 — vaporisation of sulphuric anhydride, 693.
 Heat, solar, industrial utilisation of, 765.
 Heavy metals, behaviour of sulphuretted hydrogen with the salts of, 746.
 — of the ammonium sulphide group, separation of, 188.
 — spar, use of, in the manufacture of glass, 516.
 Helleboretin, 719.
 Helicin, action of metamidobenzoic acid on, 126.
 Heliotrope, 615.
 Heptene, 893.
 Heptylacetic acid, 314.
 Heraclin, 914.
 Hexane, chlorination of, 158.
 Hexbromophenoquinone, 246.
 Hexenic acid, 376.
 Hexhydroparaxylene, 892.
 Hexmethylbenzene, 864.
 Hexnitromonoxo-homofluorescein nitrate, 552.
 High temperatures, determination of, 509, 521, 526.
 Hippuric acid, formation of, in the animal organism during fever, 716.
 — source of, in the urine of herbivora, 173.
 Holmia, 7.
 Holmium, 7.
 Homatropine, 815.
 — or oxytoluytropine, 410.
 — aurochloride, 410.
 — pierate, 410.
 Homocinchonidine, 270.
 Homoeosin, tetra- and hexa-bromo-, 552.
 — tri-iodo-, 552.
 Homofluorescein, a new colouring matter from orcinol and its salts, 551.
 — hexanitro-, 552.
 Homofluoresceincyanic acid, hexanitro-, 552.
 Homoitaconic acid, 238.
 Homopyrroline, 404.
 Homotropine and its salts, 715.
 Hops, comparative investigation of, 417.
 — spent, as fodder, 344, 502.
 — wild Croatian, 428.
 Horn, action of hydrochloric acid on, 723.
 Horse, digestion of food by, when at work, 414.
 — beans, growth of, 567.
 — fodder, ordinary, assimilation of, 173.
 Horses, feeding of, with fleshmeal, 57.
 House stoves, burning of fuel in, 145.
 Human hair, action of hydrochloric acid on, 723.
 Hyacinths, experiments on the growth of, 922.
 — mineral constituents in, 58.

- Hydracids, compounds of, with ammonia, 4.
- Hydracrylic acid, chlor-, or liquid chlorolactic acid, 800.
- Hydrastine, 170.
- Hydrazinbenzoic anhydride, 647.
- Hydrazines of the fatty series, 234.
- Hydrazobenzenedisulphonic acids and their salts, 806.
- Hydrazobenzenesulphonamide, 805.
- Hydrazobenzonesulphonic acid and its salts, 808.
- — — diazo-compound of, 809.
- — — dibromo-diazo-compound of, 809.
- — — tetrabromo-diazo-compound of, 809.
- — — acids, di- and tetra-brom and their salts, 808, 809.
- Hydrazophenetol, dinitro-, 466.
- Hydrazo-phenylethyl, symmetrical, 243.
- Hydrazotoluenesulphonic acid, 806.
- Hydrindigotin-sulphuric acid, 475.
- Hydriodic acid, etherification of, 711.
- — — new method for preparing, 89.
- Hydrobenzoïn, compounds obtained from, by the action of dilute sulphuric acid, 116.
- — — anhydride, 117.
- — — chloride, 118.
- — — dichlorides, 115, 117.
- — — oxidation of, 117.
- — — reduction of, 118.
- Hydrobenzoïns, compounds of, 114.
- — — physical isomerism of, 118.
- Hydrobromic acid, new method for preparing, 89.
- Hydrocamphene, 669.
- Hydrocarbon, $C_{10}H_{16}$, 404.
- — — $C_{10}H_{16}$, from diamylene, 231.
- — — $C_{11}H_{18}$, 404.
- — — $C_{16}H_{12}$, derivatives of the quinone from, 665.
- Hydrocarbons, heat of formation of, 840.
- — — gaseous, heat of combustion of the principal, 786.
- — — isomeric, constitution of, 840.
- — — showing the absorption-bands of cymene, examination of, 202.
- — — transmitting continuous spectra, examination of, 201.
- Hydrocarbostyryl, synthesis of the homologues of, 406.
- Hydrochloric acid, chemical equivalent of, 438.
- — — density of, at a high temperature, 434.
- — — detection of, by sulphuric acid and potassium dichromate, 744.
- — — etherification of, 711.
- Hydrochloric acid, physical constants of, 696.
- — — specific heat of concentrated solutions of, 207.
- Hypochlorin, 560.
- — — and its origin, 671.
- Hydrocynamylacrylic acid, 407.
- Hydrocotoin, 327.
- — — dibrom-, 328.
- — — monobrom-, 328.
- Hydrocotone, 327.
- Hydrocyanaldine, 313.
- Hydrocyanic acid, action of, on diazo-compounds, 41.
- — — formation of, in the electric arc, 23.
- — — heat of combustion and formation of, 840.
- — — heat of formation of, 839.
- — — and acetaldehyde ammonia, nitrils from, 313.
- Hydroethylcrotonic acid, 376.
- Hydrofluoboric acids, two new, 28.
- Hydrofluorosilicic acid, crystallised, 789.
- Hydrogen, allotropic modifications of, 89.
- — — nascent, non-existence of, 2.
- — — purification of, 2.
- — — chloride, chemical equivalent of, 438.
- — — ethyl sulphate, electrolysis of, 25.
- — — lines, new, 597.
- — — methyl sulphate, electrolysis of, 25.
- — — peroxide, action of, on silver oxide and metallic silver, 441.
- — — action of, on the alcohols, 28.
- — — action of potassium iodide on, 606.
- — — compounds of, 602.
- — — decomposition of, in presence of alkalis and alkaline earths, 606.
- — — estimation of active oxygen in, 744.
- — — formation of, 847.
- — — formation of, by the action of moist phosphorus on air, 699.
- — — thermic relations of certain combinations of, with alkalis, 602.
- — — sulphate, chemical equivalent of, 438.
- — — sulphide, fermentation accompanied by formation of, 132.
- Hydrolytic ferments of the pancreas and small intestine, 903.
- Hydroparacoumaric acid, formation of, from tyrosine, 254.
- — — preparation of, by putrefaction of tyrosine, 649.
- Hydroquinone. See Quinol.

Hydrosorbic acid, 377.
 ——— monobromo-, 377.
 ——— structure of, 382.
 Hydroxyethylmethylacetic acid, 34.
 Hydroxyacrylic acid, 626.
 Hydroxyanthraquinone, dibrom-, constitution of, 658.
 Hydroxyazobenzene or phenyldiazobenzene, 163.
 Hydroxybenzoic acid, para-, formation of, from sodium phenate, 43.
 Hydroxybenzoyltropeine, and its salts, 714.
 β -Hydroxybutyric acid, amides and anilides of, 461.
 Hydroxybutyric anhydride, normal, 712.
 α -Hydroxybutyrocyamidine, 897.
 α -Hydroxybutyrocyamine, 897.
 Hydroxycaproic acid, 377.
 α -Hydroxyethylmethylacetic acid, 315.
 Hydroxylfurfuraniline, 391.
 Hydroxyhydrosorbic acid, 378.
 Hydroxyisobutylacetic acid, 629.
 Hydroxyisobutylformic acid, 35.
 Hydroxyisocaproic acid, internal anhydride of, 378.
 γ -Hydroxyisophthalic acid and its salts, 549.
 γ -Hydroxyisophthalic acids, three isomeric, table of properties of, 550.
 Hydroxyisovaleronitril, 621.
 Hydroxylamine, conversion of, into nitrous and nitric acids, 298.
 ——— new method of forming, 4.
 ——— preparation of, 297.
 Hydroxylation by direct oxidation, 165.
 Hydroxyphenylacetic acid, ortho-, and its salts, 266.
 Hydroxysuberic acid, 543.
 Hydroxyvaleric acids, 314.
 Hygrine, 169.
 Hyoscine, 674.
 Hyoscinic acid, 674.
 Hyoscyamine, 411, 561, 674.
 Hyponitrites, new method of forming, 4.
 Hypoxanthine, formation of, from albuminoids, 672, 897.
 Hyraceum, 172.

I.

Imide chlorides, action of alcohols and phenols on, 557.
 Imido-dimethylaceto-dimethylpropionic acid, 102.
 α -Imidopropionic or diethylidene-lactamic acid, 313.
 α -Imidopropionitril, 313.
 Indican from urine, 46.
 Indigo-white, action of potassium pyrosulphate on, 46.

Indoxylsulphuric acid, 475.
 Indulin, manufacture of, 77.
 Infusorial earth, action of, on colouring-matters, 427.
 Intestinal canal, human, absorption of various alimentary materials in, 563.
 Intestine, small, hydrolytic ferments of, 903.
 Iodic acid as a test for morphine, 68.
 ——— non-production of ozone in the crystallisation of, 213.
 Iodine, behaviour of, at high temperatures, 433.
 ——— density of, at high temperatures, 432, 433.
 ——— method for the detection and estimation of, in presence of chlorine and bromine, 285.
 ——— titration of, by stable standard solutions, 285.
 ——— vapour-density of, 606, 788, 846.
 ——— industry, recent improvements in, 195.
 ——— vapour-density of, 695, 696.
 ——— dissociation of, 696.
 Ipecacuanha, 720.
 Iridammonium, new salt of an, 13.
 Iron, dialysed, 769, 792.
 ——— constitution and properties of, 356.
 ——— direct separation from manganese, 61.
 ——— estimation of total carbon in, 751.
 ——— influence of acetic acid on the separation of, as basic acetate from manganese, zinc, cobalt, and nickel, 289.
 ——— passive state of, 211.
 ——— presence of, in the dust-showers of Sicily and Italy, 709.
 ——— presence of nitrogen in, 749.
 ——— separation of, from manganese, 143.
 ——— separation of, from nickel and cobalt, 189.
 ——— separation of, from uranium, 189.
 ——— separation of phosphoric acid from, 286.
 ——— some analyses of, 73.
 ——— dinitrosulphide, 217, 218.
 ——— nitrosulphocarbonate, 218.
 ——— and manganese, new method of separating, 289.
 ——— and phosphorus, separation of, 74.
 Iron-magnesia-micas, 225.
 Iron micas, 225.
 Iron ores, separation of silicic anhydride in the analysis of, 745.
 ——— pyrites, magnetic, crystals of, 306.
 ——— stoves, red-hot, evolution of carbonic oxide from, 592.

Isotropic acid, action of chromic acid on, 120.
 ——— action of sulphuric acid on, 120.
 ——— destructive distillation of, 121.
 ——— polymeride of, 121.
 Iserine from the Isergebirge, 369.
 Iserite from the Isergebirge, 369.
 Isoamyl alcohol, heat of combustion of, 787.
 Isobenzoglycol, 802.
 ——— diacetate, 802.
 Isobutaldehyde, action of ammonia on, 620.
 ——— action of potassium carbonate on, 103, 538.
 ——— polymerides of, 104.
 ——— vapour-density of the viscous polymeride of, 620.
 Isobutyl alcohol, heat of combustion of, 787.
 ——— cyanate, 228.
 ——— group, constitutional changes in the molecule of, 229.
 ——— hippurate, 870.
 ——— iodide, action of silver cyanate on, 228.
 Isobutylhydroxymalonic acid, 629.
 Isobutyric acid, α -brom-, decomposition of, by water, 380.
 ——— β -brom-, 379.
 Isocaproic acid, brom-, 378.
 Isodinaphthyl, 262.
 ——— vapour-density of, 679.
 Isodiphenic acid, and its methyl and ethyl salts, 401.
 Isodipyridene, 672.
 Isodurene, 37.
 ——— derivatives of, 37.
 ——— monobrom-, 38.
 Isodurenesulphonic acid and its salts, 37.
 Isoduric acids, α - and β -, 38.
 Isohydrobenzoin, compounds obtained from, by the action of dilute sulphuric acid, 116.
 ——— oxidation of, 115.
 ——— anhydride, 117.
 ——— ——— oxidation of, 117.
 ——— ——— reduction of, 118.
 ——— (β -hydrobenzoin) dichloride, 115.
 Isohydroxyvaleroeyamidine, 897.
 Isohydroxyvaleroeyamine, 897.
 Isoindole, preparation of, 659.
 ——— vapour-density of, 660.
 Isomerism, physical, of hydro- and isohydro-benzoin, 118.
 Iso-pelletierine, 481.
 Isophthalophenone and its salts, 470.
 ——— reduction of, 471.
 ——— α - and β -diamido-, 471.
 ——— α - and β -dinitro-, 470.

Isoprene, action of haloid acids on, 323.
 ——— bromides, 323.
 ——— chlorides, 323.
 ——— iodides, 323.
 Isopropyl alcohol, heat of combustion of, 787.
 Isopropylbenzoic acid, crystalline form of, 549.
 Isopropylmalonic acid, 627.
 Isopropylphenols, 167.
 Isopurpurin, detection of, 424.
 Isoterpene, laboratory, 403.
 ——— dichlorhydrate, 403.
 Isotributylene, 230.
 ——— oxidation of, 230.
 Isotrichlorhydrin, 234.
 Isovaleronitril, amido-, 621.

J.

Jaborandi leaves, alkaloids of, 898.
 Jaborine, 898.
 Jalap, resins contained in, 717.
 Jalapin, 717.
 Jerusalem artichoke, carbohydrates from the tubers of, 619.
 Jervine, 170.
 Jusquiamine, alkaloids of, 561.
 Jute, bleaching of, 200.
 ——— fibre, chemistry of, 666.

K.

Karabuja, 616.
 Ketonic acids, synthesis of, 35.
 Kieselguhr, composition of, 595.
 Koettstorfer's process for butter analysis, 69.
 Kynuric acid, 44.

L.

Lactic acid, amido-, 800.
 ——— β -bromo-, 800.
 ——— chloro-, 627.
 ——— β -chloro-, 544.
 ——— influence of, in fodder, 905.
 ——— liquid chloro-, constitution of, 800.
 ——— ——— mannitol as bye-product in the formation of, from cane-sugar, 100.
 ——— ——— monochloro-, 32, 160.
 ——— ——— nitro-, spontaneous oxidation of, 237.
 ——— acids, amido-, 713.
 ——— fermentation, 513.

- Lactin, researches on, 458.
 Lactobutyrometer, estimation of the fat in milk by, 352.
 Lactones, 378, 799.
 Lævulin, 619.
 Lapachic acid, 267.
 ——— crystalline form of, 548.
 Larches, effect of manures on growth of, 509.
 Lard, coefficients of expansion of, 70.
 Lauric acid, 34.
 ——— ketone from, 34.
 Lauric aldehyde, preparation of, 866.
 Laurite, artificial, 222.
 Laval's separator, experiments with, 933.
 Lavas, basaltic, of the Eifel, 19.
 ——— of the volcanos of Ernici in the Valle del Sacco (Rome), 226.
 Lavender, essence of, 50.
 Law of Dulong and Petit applied to perfect gases, 83.
 Lead, action of water on, 766.
 ——— analyses, 772.
 ——— volumetric estimation of, 752.
 ——— acetate, estimation of the acid in, 189.
 ——— ethyl mercaptide, behaviour of, at high temperatures, 796.
 ——— fume, 146.
 ——— piping, action of water on, 198.
 ——— vinegar, estimation of the acid in, 189.
 Leaves, amount of nitrogen in the under litter of, 506.
 ——— influence of annual temperature on change of colour in, 910.
 ——— influence of, on the production of sugar in the beet, 336.
 Lecithin in yeast, 816.
 Lecture experiments, 212, 846, 924.
 Legumes, growth of, 567.
 Lentil vetch, culture of, 500.
 Lepidolite (lithia-mica), 533.
 Lepidomelane, 533.
 Leucaniline, synthesis of, 640.
 Leucine in potatoes, 342.
 Leucite, crystal-system of, 16.
 ——— incipient crystalline forms of, 448.
 Leucitophyr, artificial production of, identical with the crystalline lavas of Vesuvius and Somma, 448.
 Leuco-base from cuminol and dimethylaniline, some compounds of, 640.
Leuconostoc mesenteroides, 909.
 Leucotin, 326.
 ——— dibromo-, 326.
 ——— tetrabromo-, 326.
 Levulose, compound of, with lime, 539.
 Library bindings, deterioration of, 836.
 Light, effect of, on chemical compounds, 521.
 ——— influence of, on beer, 200.
 ——— on the growth of forest trees, 566.
 ——— on the growth of plants, 57.
 Lightfoot black, 76.
 ——— transferring, from one fibre to another, 75.
 Ligneous Papilionaceæ, chemical examination of, 735.
 Lime, action of, on silica in mortar, 216.
 ——— on solutions of sugar, 834.
 ——— in plant-life, 568.
 ——— and phosphates and boro-phosphates in the guano deposit of Mejillones, 446.
 ——— salts, absorption of, by the animal system, 725.
 Limestones, separation of silicic anhydride in the analysis of, 745.
 Linaloes-wood, 428.
 Lintonite and other forms of thomsonite, 535.
 Liquid, condensation of, at the wet surface of a solid, 363.
 ——— for the preservation of botanical preparations, 596.
 ——— bodies, absolute expansion of, 88.
 Liquids, action of, on seeds, 280.
 ——— determination of the specific gravity of, 419.
 ——— diffusion of, 364.
 ——— electro-optic observations on, 599.
 ——— motion produced by the diffusion of, 293.
 ——— new method of taking the specific gravity of, 743.
 ——— putrefying, chemical composition of bacteria in, 176.
 ——— specific gravity of, 61.
 ——— thermo-electric properties of, 431.
 Lithia-micas, 224.
 Lithium, estimation of, as orthophosphate, 581.
 ——— occurrence of, in rocks, sea-water, &c., 17.
 ——— chloride, combinations of, with alcohols, 310.
 ——— phosphates, 581.
 ——— ultramarine, preparation of, 367.
 ——— and aluminium, new silicates of, 447.
 Lithobilic acid, 270.
 Lithofellates, 131.
 Lithofellic acid, 131.
 Lithofracteur, 596.
 Lithology, some points in. II. Composition of the capillary volcanic glass of Kilanea, Hawaii, called Pélé's hair, 536.

Liver, action of the acids of, on glycogen, 906.
 — formation of sugar in, 905.
 — nature of the sugar in, 866.
 Livingstonite, 95.
 Loam and clay, difference between, 823.
 Lupine, yellow, cultivation of, 736.
 — seeds, as a manure, 507.
 Lupines, alkaloids in, 57, 416.
 — cleansing, 820, 935.
 — poisoning of sheep by, 57, 916.
Lupinus luteus, alkaloid of, 416.

M.

Magnesia-iron-micas, 225.
 Magnesia-micas, 225.
 Magnesium chloride, combinations of, with alcohols, 310.
 — crystalline form of, 611.
 — oxide, action of sulphurous anhydride on, 606.
 — phosphates and boro-phosphates in the guano deposit of Mejillones, 446.
 — platinochloride, solubility of, in alcohol, 578.
 — platincyanoide, dichroic fluorescence, 598.
 — sulphide, heat of formation of, 523.
 — and calcium compounds as refractory and dephosphorising materials, 831.
 Magnetic iron pyrites, crystals of, 306.
 — sand, 615.
 Magnetic properties of the elements, and Mendelejeff's periodic law, 206.
 Magnetite, 95.
 Maize, amount of sugar in, 594.
 — composition of, 183, 499.
 — sugar from the stems of, 834.
 Malachite green, constitution of, 555.
 Maleic acid from α -dibromopropionic acid, 374.
 — from dichloroacetic acid, 35.
 Malic acid, from α -dibromopropionic acid, 374.
 — inactive, 462.
 — action of iodine on the silver salt of, 801.
 — ordinary, inversion of the optical rotation of, 629.
 Malonic acid, electrolysis of, 462.
 — nitroso-, 629.
 — preparation of, 801.
 Malt examination, 922.

Malt, extraction of, 833.
 — testing, 71.
 — undried, application of, in the preparation of yeast, 200.
 — combings a source of yeast, 518.
 — adulteration of, 777.
 — extract in beer mash, 776.
 Malto-dextrin, 311, 866.
 Maltose, changes which it undergoes in the animal organism, 678.
 — in beer mash, 776.
 Mamac wax, 129.
 Mandarin orange, composition of the ashes of the trunk, leaves, and fruit of, 915.
 Mandelic acid, 645.
 Manganese, chemical composition of the hydrated oxides of, 849.
 — direct separation of, from iron, 61.
 — estimation and separation of, 141.
 — occurrence of, in Nordmark's mine, Wermland, 15.
 — precipitation of, by oxidising agents, 143.
 — separation of iron from, 143.
 — Volhard's permanganate method of titrating, 585.
 — volumetric estimation of, 347.
 — binoxide, composition and analysis of, recovered in the Weldon process, 528.
 — oxides, spontaneous oxidation of, with reference to manganese-recovery process, 368.
 — garnet, 856.
 — nodules from the bed of Pacific Ocean, 16.
 — recovery process, spontaneous oxidation of manganese oxides with reference to, 73, 368.
 — and iron, new method of separating, 289.
 Manganite, 14.
 Manganous acid, Gorgeu's, 219.
 — oxides, spontaneous oxidation of, with reference to the manganese-recovery process, 73, 368.
 Mannitol as bye-product in the formation of lactic acid from cane-sugar, 100.
 — electrolysis of, 26.
 Manoury's method of desugarising molasses, 357.
 Manufacturers' waste, feeding value of some, 183.
 Manure, artificial, best mode of applying, to potatoes, 824.
 — beet-sugar refuse as, 742.
 — experiments with rye, wheat, and oats, 738.

- Manure experiments with superphosphate and Chili saltpetre, 507.
 — influence of, on potato disease, and starch in potato, 915.
 — lupine seeds as a, 507.
 — mill waste for, 60.
 — shells of crabs, oysters, mussels, &c., as, 60.
 — use of peat as, 506.
 Manures, analyses of, 678.
 — application of natural products as, 417.
 — different, action of, on the yield of potatoes, 187.
 — effect of, on growth of larches and pines, 509.
 — experiments with, 506, 570.
 — for cabbages and fruit trees, 506.
 — influence of, on the combustibility of tobacco, 417.
 — various, 344.
 — various, action of, on the composition of must, 507.
 Manuring experiments, 345, 922, 923.
 — — on wheat and rye, 508.
 — — with oats, 136.
 — of barley, 135.
 — of beetroot, 137.
 — of field beans, 569.
 Margaric acid, 34.
 Margarite, 533.
 Marjoram, essence of, 50.
 Marl, analyses of, 60.
 Martite from Brazil, 447.
 Mash, density of, 517.
 — sweet, changes effected by fermentation on the nitrogenous constituents of, 357.
 Matter, chemical stability of, in sonorous vibration, 437.
 Meadows, injurious effect of peat water on, 738.
 Meat, boric acid as a preservative for, 767.
 — production of the red colour in salting, 80.
 Melanthigenin, 719.
 Melanthin, 719.
 Melons, amount of sugar in, 594.
 Melting points of the refractory metals, 149.
 Mendelejeff's periodic law and the magnetic properties of the elements, 206.
 Mercaptans, amido-, from nitrobenzenesulphonic acids, 389.
 Mercuric dioctyl, 229.
 — iodide, coefficients of expansion of, 443.
 — octyl chloride, 229.
 — octyl hydrate, 229.
 — octyl iodide, 229.
 — sulphates, thiobasic, 157.
 Mercuric sulphide, new basic salts of, 157.
 Mercury, action of the haloid acids on the sulphates of, 12.
 — use of Smithsonian's pile for the detection of, in mineral waters, 510.
 — compounds, haloid, emission spectra of, 81.
 — di-iodide, effect of heat on, 443.
 — ethyl mercaptide, behaviour of, at high temperatures, 796.
 Mesoxalic acid, decomposition of, by sulphuretted hydrogen, 237.
 Metabenzendisulphonic acid and its salts, 123.
 Metacymene, 632.
 α -Metacymenesulphamide, 632.
 Metacymenesulphonic acids and their salts, 632.
 α -Metacymene sulphonie chloride, 632.
 Metadihydroethylbenzene, 404.
 Metadihydromethyleymene, 404.
 Metaisatamide, 253.
 Metaisatic acid (metamidophenylglyoxylic acid), 253, 254.
 Metallic chlorides, volatile, 604.
 — nitrates, action of, on nitric acid, 153.
 — oxides, reduction of, by hydrogen, 298.
 Metalloids, spectra of, 430.
 Metals, action of ozone on some, 205.
 — electrolytic estimation of, 747.
 — of gadolinite and of samarskite, new, 611.
 — refractory, specific heats and melting points of, 149.
 — various, electrolytic quantitative separation and estimation of, 282.
 Metamethylbenzaldehyde, 468.
 Metamethylethylbenzene, 126.
 Metatoluidine, 635.
 — estimation of, in crude toluidine, 110.
 Meteorite of Albarello, 369.
 — of Grosnaja, 20.
 — of Vavilovka, 20.
 — which fell at la Bécasse, 226.
 Meteors, two remarkable, observed in Sweden, 859.
 Methacrylic acid, 378, 871.
 — — polymeride of, 871.
 — — polymerised, 120, 379.
 Methane, new synthesis of, 370.
 Methenylamidophenyl mercaptan, 389, 885, 887.
 Methoxydibromotoluic acid, 884.
 β -Methoxyglutaric acid, 372.
 Methoxynitrotoluic acid, 246, 884.
 Methoxypropylnitrobenzoic acid, 884.
 Methoxystilbene, 253.
 Methoxyterephthalic acid, 247.

- Methyl acetate, preparation of, 541.
 — alcohol, quantitative estimation of acetone in, 826.
 — some properties of mixtures of, with methyl cyanide, 524.
 — cyanide, pure, physical constants of, 618.
 — some properties of mixtures of, with ethyl and methyl alcohols, 524.
 — α -dinitrophenate, 815.
 — eupittonate, 165.
 — mandelate, melting point of, 645.
 — α -naphtholate, 261.
 — β -naphtholate, 261.
 — orthobromobenzoate, 119.
 — paranitrophenylacetate, 120.
 — sulphate, preparation of, 28.
 — thiocyanate, polymeric, 797.
 — polymeric, action of alcoholic ammonia on, 798.
 Methylamarine methiodide, 882.
 Methylamido- α -caproic acid, 543.
 Methylamidoethyl formate, 311.
 Methylaniline, monobromo-, 107.
 Methylcarbazol, 660.
 — compound of, with picric acid, 660.
 Methyl-dikatabutylacetic acid, 231.
 Methylene chloride, preparation of, 307.
 Methylenehydroxyacetic acid, two new syntheses of, 872.
 Methylisothiactanilide, 557.
 Methylketole, an isomeride of skatole, synthesis of, 395.
 Methylmorphine hydroxide, preparation of, 408.
 — iodide, action of potassium ferri-cyanide on, 409.
 Methyl α -naphthyl ether, 261.
 — β -naphthyl ether, 261.
 Methylonyl-ketone, normal, 872.
 Methyl-octyl-ketone, 314.
 Methyloxydimorphine hydroxide, 409.
 — iodide, basic, 409.
 — sulphate, neutral, 409.
 β -Methyloxyglutaric acid, formation of, from diallylmethylcarbinol, 383.
 Methylpelletierine, 481.
 Methylphenylketone, conversion of bromostyrolene into, 469.
 β -Methylpropylethylactic acid, 372.
 Methylpyrogallol, 248, 249.
 Methylquinhydrone, formula of, 318.
 Methylthiocarbimide, 797.
 Methylumbelliferic acid, crystalline form of, 106.
 Methyl-violet, new method of preparing, 75.
 Metisopropyltoluene, synthesis of, 877.
 Mica group, 224, 614.
 Micas, 532.
 Milk, adulteration of, 423, 828.
 — amount of fat in, 330.
 — analyses of, 520.
 — analysis of, 514, 828, 925.
 — chemical composition of, 273.
 — condensed, 926.
 — enumeration of the fat globules as a test for, 191.
 — estimation of fat in, 352, 761.
 — human, abnormal composition of, 332.
 — influence of fodder on the secretion of, 907.
 — influence of ground nuts on the production of, 487.
 — influence of shearing on yield of, 487.
 — lazy, 934.
 — observations on, 828.
 — of a large herd of cows, observations on, 487.
 — presence of sulphuric acid in, 423.
 — preservation of, 148.
 — quality of, 352.
 — taking samples of, 828, 925.
 — albumin, 900.
 — butter, whole, compared with cream butter, 932.
 — churning, machines for, 357.
 — coolers, various, comparison of, 357.
 — cooling apparatus, experiments with, 834.
 — fat, influence of fodder on the quantity and quality of, 184.
 — production, effect of feeding-cakes on, 725.
 — secretion, 330.
 Milk-sugar, partial synthesis of, 29.
 Milking, notes on, 834.
 Mill waste for manure, 60.
 Mineral analysis, removal of large quantities of sodium chloride in, 580.
 — constituents, course of, in the development of the early shoots, 335.
 — of fir and birch, 343.
 — of Silesian basalts, 19.
 — of the Riesling grape, 342.
 — containing cinnabar, metacinnabarite, and stibite, analysis of, 588.
 — oils, examination of, 589.
 — heavy, analysis of, non-saponifiable, 683.
 — superphosphates, analysis of, 576.
 — tanning, 427.
 — waters, ferruginous and nitrated, 617.
 — of Bourboule, 455.
 — of Bussang (Vosges), analysis of, 455.
 — of Cransac (Aveyron), composition of, 454.

- Mineral waters of Savoy, sketch of the origin of, with some analyses, 453.
 ——— sulphuretted, formation of, 709.
 ——— use of Smithson's pile for the detection of mercury in, 510.
 Mineralogical notes on the ores of Chafarcillo, North Chili, 301.
 Minerals, bismuth, from Wermland, 14.
 ——— different, two regular intergrowths of, 855.
 ——— in certain trachytes from the ravine of Riveau Grande, at Mont Dore, 225.
 ——— new, from the andesite of Mount Arany, 616.
 ——— of greater density than quartz, separation of, by means of fused mixtures of lead and zinc chlorides, 511.
 ——— separation of silicic anhydride in the analysis of, 745.
 "Mogdad" coffee, 936.
 Molasses, fermentation of, 931.
 ——— Manoury's method of desugarising, 357.
 Molecular heats of the rare earths and their salts, 838.
 ——— refraction of carbon compounds, table of, 781.
 ——— volumes of liquid carbon compounds, 784.
 ——— of solid carbon compounds, 21, 694.
 ——— of the rare earths and their salts, 838.
 Molybdenum pentachloride, 220.
 Molybdic anhydride, action of phosphorus pentachloride on, 219.
 Monaceto-phenylanthranol, 651.
 Monethylene pyrogallate and its derivatives, 250.
 Monethyloxamide, 547.
 Monobasic acids, double function of, 31.
 ——— unsaturated, etherification of, 375.
 Monocarbopyridenic (nicotinic) acid, 269.
 Monomethylanilininitrosamine, monobromo-, 107.
 Monophenylarsinic acid and its salts, 396.
 Monophenylboric acid, 396.
 Monophenylboron chloride, 395.
 ——— tetrachloride, 396.
 Monophenylethylamine, 242.
 ——— hydrochloride, 241.
 Monophenylguanidine, 44.
 Monothiobasic trimercuric sulphate, 157.
 Monotolylarsenious oxides, 397.
 Monotolylarsinic acids and their salts, 397.
 Moorland, manuring experiments on, 923.
 Morphine, action of atmospheric oxygen on, in ammoniacal solution, 408.
 ——— action of benzoic chloride on, 407.
 ——— action of potassium ferrieyanide on, 408.
 ——— action of potassium permanganate on, 408.
 ——— iodic acid as a test for, 68.
 ——— test for, 763.
 ——— hydrochloride, 673.
 ——— tribenzoyl-, 407.
 Morphimetric processes for opium, 191.
 Mortar, action of lime on silica in, 216.
 Motion produced by the diffusion of gases and liquids, 293.
 Mucic acid, chloro-, 36.
 Muscle, carbonic anhydride from, 330.
 ——— distribution of phosphates in, 275.
 ——— extractives from, 726.
 Muscovite, 533.
 Muscular activity and waste, 486.
 Muscular labour, influence of, on the elimination of nitrogenised decomposition products, 818.
 Must, action of various manures on the composition of, 507.
 ——— aëration of, 931.
 ——— analysis of, 586.
 ——— composition of, at different stages of ripeness of the grape, 425.
 ——— tartar and tartaric acid in, 774.
 Mustard-seed, white, glucoside from, 265.
Mycoderma aceti, growth of, 819.
 Mycoprotein, 177.
 Myristamide, 460.
 Myristanilide, 460.
 Myristic acid, 34.
 ——— aldehyde, preparation of, 867.
 ——— series, compounds of, 460.
 Myristolic acid, 460.

N.

- Naphthalene, α - and β -positions in, 399.
 ——— chloro-, action of chlorine on, 47.
 ——— $\alpha\beta$ -dibromo-, 260.
 ——— α - and β -dichloro-, nitro-derivatives of, 47.
 ——— η -dichloro-, derivatives of, 47.
 ——— dinitro-, oxidation of, 477.
 ——— γ -trichloro-, 167, 168.
 Naphthalene- α -sulphonic acid, dichloro-, and its salts, 168.
 ——— chloride, action of chlorine on, 167.
 ——— dichloro-, 168.

- Naphthalene- α -sulphonic chloride, tetra-chloride of, 167.
 Naphthalenesulphonic acid, α -bromo-, 260.
 ——— δ -nitro-, derivatives of, 47.
 Naphthalene and benzhydrol, condensation of, 478.
 Naphthaquinone, methyldihydroxy-, 48.
 Naphthoic acids, nitro-, 261.
 Naphthol-derivatives, 260.
 α -Naphthol and phenol, action of lead oxide on, 664.
 β -Naphthol, β -naphthylamine from, 813.
 Naphtholazobenzenesulphonic acid, salts of, 664.
 Naphtholazonaphthalene, sulphonic salts of, 664.
 β -Naphtholsulphonic acid, action of diazoamidoazobenzene on, 717.
 Naphthoquinol, 49.
 Naphthoquinone, action of aniline on, 48.
 ——— action of ammonia on, 48.
 ——— action of paratoluidine and of diphenylamine on, 49.
 α -Naphthylamine, conversion of, into α -naphthyl-methyl ether, 813.
 Naphthylamine, $\alpha\beta$ -dibromo-, 260.
 β -Naphthylamine, 813.
 α -Naphthyl dimethylamidophenylsulphone, 108.
 Naphthyl diphenylmethane, 478.
 ——— synthesis of, 664.
 α -Naphthylmethyl ether, compound of with picric acid, 813.
 ——— conversion of α -naphthylamine into, 813.
 α -Naphthylphenyl carbinol, 478.
 α -Naphthylphenylketone, incomplete reduction of, 478.
 Narcotic plants, extracts of, 425.
 Natural products, application of, as manures, 417.
 Nepheline, incipient crystalline forms of, 448.
 Nervous substance, combinations of phosphoric acid in, 274.
 Nickel, electrolytic estimation of, 583, 751.
 ——— estimation of, 287.
 ——— from cobalt, new method of separating, 287.
 ——— malleable, 930.
 ——— metallurgy of, 770.
 ——— methods of estimating, 771.
 ——— preparation of, 593.
 ——— ore of New Caledonia, composition of, 593.
 ——— and cobalt, detection of, in presence of each other, 286.
 ——— separation of iron from, 189.
 Nicotine, bromo-, 897.
 ——— derivatives, 672.
 ——— tetrabromo-, 815.
 Nicotinic acid, 268.
Nigella sativa, examination of the seeds of, 718.
 Nigrosin, manufacture of, 78.
 Niobite from the Isergebirge, 369.
 Nitrates, heat of formation of, 522.
 ——— in sugar beets, 494, 495.
 ——— metallic, action of, on nitric acid, 153, 154.
 ——— ——— heat of formation of, 603.
 Nitre, formation of nitric oxide by ignition of, 574.
 Nitric acid, action of metallic nitrates on, 153, 154.
 ——— ——— decomposition of, in plants, 731.
 ——— ——— estimation of, 574.
 ——— ——— formation of, in the soil, 59.
 ——— ——— heat of formation of, 603.
 ——— ——— introduction of, into the sulphuric acid chamber along with the steam, 196.
 ——— ——— testing for, in presence of nitrous acid, 139.
 ——— oxide, formation of, by ignition of nitre, 574.
 Nitrification, 277, 279.
 ——— fermentation theory of, 909.
 Nitrils from hydrocyanic acid and acetaldehydeammonia, 313.
 Nitrogen, albuminoid, estimation of, in fodders, 190.
 ——— amount of, in forest trees, and in the under litter of leaves, 506.
 ——— course of, in the development of the early shoots, 335.
 ——— determination, examination of the Will-Varentrap method, 348.
 ——— dioxide, absorption of, by ferrous salts, 9.
 ——— estimation of, 679.
 ——— estimation of, in albuminates, 350.
 ——— estimation of, in explosive ethereal nitrates, 355.
 ——— extension of Dietrich's table for the calculation of, 346.
 ——— gaseous, a product of the decomposition of albuminoids in the body, 272.
 ——— heat of formation of the oxides of, 522.
 ——— in turf, 344.
 ——— in organic compounds, easy process for detecting, 348.
 ——— manure for oats, 741.
 ——— modification of Dumas' method for estimating, 753.
 ——— Zulkowsky's apparatus for the volumetric estimation of, 679.

- Nitrogen, nitric, in guano, 68.
 — non-albuminoid, estimation of, in fodder, 588.
 — organic, estimation of, in natural waters, 62.
 — oxides, heat of formation of, 603.
 — — thermo-chemistry of, 689.
 — presence of, in iron and steel, 749.
 — table of the absorption of, in the human intestinal canal, 565.
 — tests for, and estimation of, in iron and steel, 749.
 — thermochemical investigation of the oxides and acids of, 81.
 Nitrogen-compounds, non-albuminoid, estimation of, in various kinds of fodder, 764.
 — non-albuminous, estimation of, in plants, 513.
 — tetroxide, researches on, 91, 440.
 Nitrogenised decomposition products, influence of the supply of water, the secretion of sweat, and muscular labour on the elimination of, 818.
 Nitrogenous constituents of sweet mash, changes effected by fermentation in, 357.
 — substances, chemical changes in, during fermentation, 728.
 Nitro-groups, influence of, on a sulphonic group entering the benzene molecule, 238.
 Nitrolactic acid, spontaneous oxidation of, 237.
 Nitro-octane, 229.
 Nitrosoferrous potassium sulphide, 10.
 Nitroso-sodio-ferrous sulphide, 218.
 Nitrosothioferrates, 9.
 Nitrous acid, heat of formation of, 603.
 — researches on, 91.
 — anhydride, researches on, 440.
 — compounds, estimation of, in the manufacture of sulphuric acid, 745.
 Nonic acid, normal, synthesis of, 313.
 — phosphorite, 356.
 Norwegium, 93, 611.
 Nuclein in yeast, 816.
- O.**
- Oak-bark, influence of soil on the tannin of, 920.
 Oats, development of, 336.
 — manuring experiments with, 136, 738.
 — manuring of, 508.
 — on fen lands, 185.
 — nitrogen manure for, 741.
 Oat-straw, digestibility of, 916.
 Octacetyl diglucose, 159.
 Octacetyl-glucose, 619.
 Octacetyl-lactose, 619.
 Octacetyl-maltose, 620.
 Octacetyl-saccharose, 620.
 Octane, nitro-, 229.
 Octyl acetoacetate and its derivatives, 871.
 — cyanide, 230.
 — derivatives, 229.
 — nitrite, 229, 230.
 Octyl-acetic acid, 872.
 Octyl-acetone, 872.
 Octylamine, 229.
 Octylnitrolic acid, 229.
 Oenanthal, heat of combustion of, 787.
 Oil, amount of, in grass-seeds, and its relation to their germination, 342.
 — of marjoram, Cretan, 112.
 — of *Origanum creticum*, 113.
 — of turpentine, action of iodine on, 125.
 Oils, commercial, analysis of resin in, 684.
 — essential, examination of, 201.
 — heavy mineral, resin, and fatty, analysis of, 683.
 — lubricating, investigation of, 778.
 — mineral, examination of, 589.
 — transmitting continuous spectra, examination of, 201.
 Olefines and other unsaturated compounds, direct formation of the chlorobromides of, 456.
 Oligist, artificial production of, 223.
 Olive, formation of fatty matter and ripening of, 568.
 — oil, detection of cotton seed oil in, 925.
 Opium, morphimetric processes for, 191.
 — tincture of, valuation of, 193.
 — testing, 829.
 Orange, composition of the ashes of trunk, leaves, and fruit of, 915.
 Orcella weed, Californian, 255.
 Orcinol, action of, on monochloroacetic acid, 393.
 — a new colouring matter from, 551.
 — a product obtained by the action of aqua regia on, 645.
 — trinitro-, 113.
 Ores of Chanarcillo, North Chili, mineralogical notes on, 301.
 Organic acid, new, occurring in *Agaricus integer*, 44.
 — acids, action of dehydrating substances on, 459.
 — bases containing oxygen, synthesis of, 639.
 — bodies, relation between the phy-

sical properties of, and their chemical constitution, 293.
 Organic compounds, chemical constitution of, in relation to their refractive power and density. Part II, 781.
 ——— containing fluorine and boron, analysis of, 61.
 ——— liquid, expansion and molecular volumes of, 784.
 ——— detecting nitrogen, sulphur, and chlorine in, 348.
 ——— solid, molecular volumes and specific gravities of, 21.
 ——— matter in water, methods for indicating the presence of, 290.
 Organisms in beet sap, 334.
 ——— lower, in the air, 908.
 Orthamidophenylbenzoic acid, internal anhydride of, 246.
 Orthanisidine, 641.
 Orthobenzylcreatinine, 803.
 Orthobenzylglycocylamidine, 803.
 Orthoclase and quartz, simultaneous reproduction of, 532.
 Orthocymene, 631.
 β -Orthocymenesulphamide, 632.
 Orthocymenesulphonic acids and their salts, 631.
 Orthodiamidobenzene, action of ferric chloride on, 162.
 Orthodimethylamido-anisol, 637.
 Orthodimethylamido-phenol, 637.
 Ortho-ethylphenol, 39, 126.
 Ortho-hydrazinbenzoic acid, 647.
 Ortho-hydroxybenzoyltropeine, 714.
 Ortho-hydroxyphenylacetic acid and its salts, 266.
 Orthotoluidine derivatives, 386.
 Orthotolylglycocine, 387.
 Orthotolylurethane, 245.
 Orthotrimethylanisolammonium iodide, 638.
 Orthotrimethylphenolammonium and its salts, 636.
 Orthoxylene, separation of, from its isomerides, 240.
 Oven for heating sealed tubes, 846.
 Oxalamylne, chlor-, 547.
 Oxalethylene and its salts, 546.
 ——— action of bromine on, 547.
 ——— action of methyl iodide on, 547.
 Oxalic acid, action of iodine on the silver salt of, 801.
 ——— crystallised, 544.
 ——— electrolysis of, 27.
 ——— in beet leaves, 733.
 ——— oxidation of, by ammoniacal cupric oxide, 235.
 ——— series, bases of, 547.
 Oxalovinyl chloride, dichloro-derivative of, 232.
 Oxalpropylene, chlor-, 547.

Oxalyl-biuretic acid, amide of, 105.
 Oxamethane chloride, reactions of, 557.
 Oxamide, monethyl-, 547.
 Oxethylbenzenedisulphonamide, 124.
 Oxethylbenzenedisulphonic acid and its salts, 124.
 ——— chloride, 124.
 Oxidation, acceleration of, caused by the less refrangible end of the spectrum, 429.
 Oxides, metallic, reduction of, by hydrogen, 298.
 Oxyacrylic acid (oxypropionic acid), 544.
 ——— constitution of, 800.
 Oxyanthraquinone, 654.
 ——— formation of, from phenolphthalein, 658.
 ——— dibrom-, 654.
 ——— formation of, from tetrabromophenolphthalein, 658.
 Oxyazobenzene, conversion of azoxybenzene into, 556.
 Oxyazobenzene-orthoxysulphoxybenzene, dinitro-, 881.
 Oxycamphor, 892.
 Oxycaproic acid, an, 312.
 Oxydimorphine and salts, 408.
 Oxyfluorescein hexamido-, hydrochloride of, 552.
 Oxygen, absorption of, and expiration of carbonic anhydride by plants, 416.
 ——— active condition of, induced by nascent hydrogen, 3.
 ——— active, estimation of, in barium or hydrogen peroxide, 744.
 ——— apparatus for estimating, in the atmosphere, 137.
 ——— atomic heat of, 850.
 ——— atomic refraction of, 782.
 ——— behaviour of, to haloïd salts in presence of acid anhydrides, 436.
 ——— dissolved in water, quantitative estimation of, 137.
 ——— estimation of, dissolved in water, 421.
 ——— in the air, a possible cause of variation of the proportion of, 90.
 ——— influence of, on fermentation, 908.
 ——— spectrum of, 430.
 Oxygen-acids of sulphur, 5.
 Oxyleucotin, 327.
 ——— dibrom-, 327.
 ——— tetrabrom-, 327.
 Oxymercurethylanine chloride, 159.
 Oxy-morphine, Schützenberger's, 408.
 α -Oxy-paratoluic acid, 257.
 Oxypropionic acid (oxyacrylic acid), 544.
 Oxy-sorbic acid, 268.
 Oxy-succinic acid, 268.

Oxytetrolic acid and its homologues, 625.
 Oxytoluic aldehyde, liquid and solid, acetyl derivatives of, 468.
 Oxytoluyltropine or homatropine, 410.
 — and its salts, 715.
 — aurochloride, 410.
 — picrate, 410.
 Ozone, 847.
 — action of, on some noble metals, 205.
 — action of, on the alcohols, 27.
 — action of, on the colouring matters of plants, 58.
 — bleaching sugar syrups by, 74.
 — formation of, 847.
 — formation of, by the action of moist phosphorus on air, 699.
 — influence of volume and temperature in the preparation of, 90.
 — non-production of, in the crystallisation of iodic acid, 213.
 — production of, during the atmospheric oxidation of phosphorus? 3.
 — solubility of, in water, 213.
 Ozoniser, a new, 90.

P.

Palladium, compound of, with ammonia and mercury, 854.
 — preparation of, 854.
 — ammonium chloride, 854.
 Palladoso-uramonium chloride or carbamido-palladious chloride, 161.
 Palmellin extracted from algae by water, 325.
 — preservation of solutions of, 720.
 Palmitic acid, synthesis of an isomeride of, 313.
 — aldehyde, preparation of, 867.
 Pancreas, hydrolytic ferments of, 903.
 Panification, digestive ferment produced during, 776.
 Papaya oil, 129.
 Papayatin, 128.
 Papayotin, 129, 130.
 Papayic acid, 129.
 Papilionaceæ, ligneous, chemical examination of, 735.
 Para-anisidine, dibromo-, 641.
 — hydrochloride, monobromo-, 641.
 Parabanic series, new derivative of, 105.
 Paracotenes, 328.
 Paracoto-bark, 325.
 — ethereal oil from, 328.
 Paracotoic acid, 326.
 Paracotoin, 326.

Paracotoin, action of bromine on, 326.
 Paracotols, 328.
 Paracresoldiazobenzene or paramethylhydroxyazobenzene, 163.
 Paracymenesulphonic acids, 632.
 Paradiamidotoluene, 162.
 Paradimethylamido-anisol, 639.
 Para-ethylmethylphenol, 882.
 Paraffins, isomeric, of the formula C_nH_{2n+2} , problem of estimating the number of, 605.
 — normal, 158.
 — presence of, in plants, 914.
 Paragonite, 533.
 Parahydrocyanaldine, 313.
 Parahydroxybenzoic acid, 240.
 Parahydroxybenzoyltropine and its salts, 714.
 Parahydroxyphenylacetic acid and its salts, 252, 255.
 — preparation of, from urine, 649.
 Paralbumin, detection of, 829.
 Paraleucaniline, constitution of, 553.
 — nonomethylated, 390.
 — occurrence of, in the manufacture of rosaniline, 162.
 Paramethoxyphenylcinnamic acid, 253.
 Paramethylhydroxyazobenzene or paracresoldiazobenzene, 163.
 Parapapayotin, 130.
 Paraphenylenediamine, colouring matter containing sulphur from, 110.
 Pararosaniline, constitution of, 553.
 Parasaccharic acid, 671.
 Paratoluene sulphhydrate, action of sulphuric acid on, 810.
 Paratoluidine, action of benzotrichloride on, 880.
 — derivatives, 386.
 — dinitro-, 635.
 Paratolylbenzylsulphone, 811.
 Paratrimethylanisolammonium iodide, 638.
 Paratrimethylphenolammonium, 637.
 Paraxylene, trinitro-, 892.
 Paraxylenediamine, 553.
 Parazodibromosulphoxylbenzene β -naphthalen, 881.
 Parazosulphoxylbenzene - β -oxydisulphoxynaphthalene, 188.
 Parazosulphoxylbenzene - phloroglucinol, 880.
 Parazosulphoxyluaphthalene-resorcinol, 881.
 Parazotoluene - β -naphtho-disulphonic acid, 881.
 Parisobutaldehyde, action of certain reagents on, 103.
 Parkes's method of estimating copper, 510.
 Parsnips, analysis of, 342.

Passive state of iron, 211.
 Pasture, permanent, a substitute for clover, 499.
 Pea haulms, digestibility of, 916.
 Peat, use of, as manure, 506.
 Peat water, injurious effect of, on meadows, 738.
 Peaty soils, 182.
 Pélé's hair, composition of, 536.
 Pelletierine, 481.
 Pentadecic acid, 34.
 Pentathionic acid, 298.
 — non-existence of, 215, 367.
 Pentenylamidophenyl mercaptan, 389, 885.
 Pepsin, testing of, 424.
 Peptone, 901.
 — pure, preparation of, 901.
 Perbromic acid, preparation of, 91.
 Perchloric acid as a test for alkaloids, 69.
 Pereirine, 676.
 Pereiro bark, 675.
 Periodic atomicity, history of, 605.
 — law, Mendelejeff's, and the magnetic properties of the elements, 206.
 Persulphuric acid, 607.
 Petroleum, 199.
 Phacozymase, soluble, 816.
 Phanerogams, chlorophyll in the epidermis of foliage of, 910.
 Phenanthraquinone, action of ammonia on, 48.
 — action of methylamine on, 48.
 — dinitro-, 814.
 — from phenanthrol, 891.
 Phenanthrene, constitution of, 814.
 Phenanthrenedisulphonic acid, action of phenols on, 474.
 — and its derivatives, 478.
 — bromo-, salts of, 891.
 Phenanthrenequinonimide, 48.
 Phenanthrenesulphcin-resorcin, 474.
 Phenetol, diethylorthamido-. and its salts, 465.
 — dinitro-, 467.
 — monethylnitro-orthamidonitroso-, 464.
 — monethylorthamido-, and its salts, 464.
 — nitramido-, 466.
 — orthamido-, ethyl-derivatives of, 463.
 — preparation of, 463.
 Phenol, action of ammonium zinc chloride on, 813.
 — action of its vapour on organic matter at high temperatures, 72.
 — compounds of benzotrichloride with, 239.
 — influence of, on germination, 335.
 — dibromo-, 658.

Phenol, ethylene derivatives of, 316.
 — monethylorthamido-, and its salts, 464.
 — mononitrochloro-, crystallographic constant of, 384.
 — nitro-, Fittica's fourth, 463.
 — orthamido-, ethyl-derivatives of, 463.
 — orthamidonitroso-, 465.
 — tetrabromo-, 246.
 — tribromo-, bromide of, 246.
 — colours, new class of, 426.
 — and α -naphthol, action of lead oxide on, 664.
 Phenolic aldehydes, action of acetic anhydride on, 318.
 Phenylaniline, α -monochlorodinitro-, 392.
 Phenoldiazobenzene or hydroxyazobenzene, 163.
 Phenolglycereïn, 426.
 Phenolphthaleidin, 657.
 — chloride, 656.
 Phenolorthosulphonic acid, action of fused alkalis on, 320.
 Phenolphthaleïn and its derivatives, action of ammonia on, 657.
 — chloride of, or dichlorodiphenylphthalide, 654.
 — conversion of phenylphthalide into, 652.
 — formation of oxyanthraquinone from, 658.
 — fusion of, with potash, 657.
 — methyl salt of, 653.
 — phenylanthracene derivatives of, 656.
 — preparation of, 653.
 — triphenylmethane derivatives of, 653.
 — diimido-, 657.
 — tetrabromo-, 654.
 — action of oxidising agents on, 654.
 — formation of dibromoxanthraquinone from, 658.
 — oxidation of, 657.
 Phenolphthaleïnsulphonic acids, 653, 654.
 Phenolphthaleïn, action of ammonia on the phenol compounds of, 657.
 — and its derivatives, 657.
 — fusion of, with potash, 657.
 Phenolphthaleidin, 656.
 — action of ammonia on, 657.
 — fusion of with potash, 657.
 — chloride, 656.
 — tetrabromo-, action of ammonia on, 657.
 Phenolphthalin, 654.
 — action of ammonia on, 657.
 — chloride of, 655.
 — fusion of, with potash, 657.

- Phenolphthalin, tetrabromo-, 655.
 Phenolphthalol, 655.
 — triacetyl derivative of, 656.
 Phenols, action of nitroso-dimethylaniline on, 881.
 — action of, on halogen-derivatives of fatty acids, 392.
 — compounds of phthalic acid with, 650.
 — amido-, isomeric, action of methyl iodide on, 636.
 — dinitrochloro-, two isomeric, 392.
 Phenolsulphonic acid, 808.
 — — dinitro-, 808.
 — — and its acid potassium salt, 810.
 — — amido-, amides of, 642.
 Phenoquinone, 318.
 — formula of, 247.
 Phenoxycetamide, 319.
 Phenoxycetanilide, 319.
 Phenoxycetic acid and its salts, 318.
 — — monobromo-, 320.
 — — orthonitro-, 319.
 — — paranitro-, 319.
 Phenoxycetonitril, 319.
 Phenoxycetothiamide, 319.
 Phenoxypropionic acid and its salts, 393.
 — — monobrom-, 393.
 Phenyl, substitution of, 813.
 — amido-bisulphide, 386.
 — — hydrochloride, 386.
 — bromo-cyanate, 633.
 — bromo-dicyanate, 633.
 — chloride, isocyanomonobromo-, 634.
 Phenyl ether, α -dinitro-, 642.
 Phenylacetamide (α -toluylamide), history of, 650.
 Phenylacetic acid, paramido-, 252.
 — — paranitro- and its salts, 119.
 Phenylamidoacetic acid, 473.
 Phenylanthracene, 652.
 — derivatives of phenolphthalein, 656.
 — dihydride, 652.
 Phenylanthranol, 651.
 — α -dichloro-, 656.
 Phenylbenzamide, action of sulphur on, 386.
 Phenylbetaine or demethylphenylglycocine, 162.
 — chlorethide, 162.
 — hydrochloride, 162.
 Phenylbiuret, dibromo-, 633.
 Phenylbromolactic acid, 472.
 Phenylcoumaric acid, acetyl-, 164.
 Phenylcoumarin, action of sodium amalgam on, 164.
 — synthesis of, 164.
 Phenylcyanamide, 44.
 Phenylenedioxyacetic acid, 33.
 — — dibromo-, 33.
 Phenylenedithiacetic acid, 33.
 Phenylenenaphthalene oxide, quinone of, 664.
 Phenylethylpropionic acid, 406.
 Phenylfumaric acid, 43.
 Phenylglycocine, bromo-, 634.
 Phenylglyoxylic acid, test for, 67.
 — — metamido-, (metaisatic acid), 253, 254.
 Phenylhalogenpropionic acids, constitution of, 42.
 Phenylhydrazine, ethyl-derivatives of, 242.
 — oxidation of, by mercuric oxide, 243.
 Phenyl- α -hydroxypropionic acid, 471.
 Phenylactic acid, 471.
 — acids, constitution of, 42.
 Phenyllactimide, 322.
 Phenyl mercaptan, amido-, 386.
 — — amido-, action of aldehydes on, 887.
 — — amido-, action of hydrocyanic acid on, 887.
 — — amido- oxalic derivative of, 885.
 — — orthamido-, preparation of, 886.
 — mercaptans, amido-, derivatives of, 886.
 Phenylmethylethane, bromo-, 633.
 Phenyl-naphthalene, synthesis of, 125, 261.
 Phenyl- β -naphthylamine, 813.
 Phenyl-naphthylcarbazol, 168, 663.
 — oxidation of, 663.
 Phenyl-naphthylcarbazoline, 663.
 — iodide, 663.
 Phenyl-naphthylcarbaziquinone, 664.
 Phenylloxanthranol, 651.
 — action of benzene on, 652.
 Phenylvaleric acid, nitro-, reduction of, 407.
 — — normal, 407.
 Phenylthiocarbimide-glycolide, 659.
 Phenylthiourethane, 659.
 Phenylurethane, bromo-, 633.
 Philippias, 7.
 Phlobaphene, 650.
 — action of hydrochloric or hydriodic acid on, 650.
 Phlogopite, 533.
 Phosphanilidesulphonic acid, dibromo-, ethyl salt of, 321.
 — — ethyl and methyl salts of, 321.
 — — chloride, 321.
 Phosphate précipité, analysis of, 576.
 Phosphates, action of ammonium citrate on, 825.
 — action of sulphuric acid on, 425.
 — alkaline, condition of, in aqueous solution, 2.

- Phosphates, comparative value of soluble and insoluble, 678.
 — distribution of, in the muscles and tendons, 275.
 — influence of soluble and insoluble, as manure for turnips, 186.
 — natural, and their value in agriculture, 506.
 — reduced and insoluble, agricultural value of, 571.
 — soluble and reduced, action of, on soils, 418.
 Phosphoryl chloride, homologues of, 640.
 — sulphochloride, synthesis of, 558.
 Phosphine, heat of formation of, 151.
 Phosphonium iodide, action of, on carbon bisulphide, 370.
 Phosphorescence, 598.
 — produced by electrical discharges, 204.
 Phosphoric acid, behaviour of, in soils, 571.
 — combinations of, in the nervous substance, 274.
 — new alkalimetric method for estimating, 824.
 — new blowpipe, test for, 746.
 — preparation of, 367.
 — "reduced," contribution to the knowledge of, 574.
 — retrograde, 739.
 — estimation of, as ammonium citrate, 924.
 — separation of, from iron and aluminium, 286.
 — volumetric estimation of, by means of uranium in the presence of iron, 575.
 — acids, ortho- and pyro-, separation of, 574.
 Phosphorite, Norwegian, 356.
 — preparation, 356.
 Phosphorites, Belgian, 198.
 Phosphorus, experiments tending to show the non-elementary character of, 4.
 — luminosity of, 298.
 — antimony decachloride, Weber's, 613.
 — oxychloride, action of certain metals and non-metals on, 609.
 — pentachloride, action of, on molybdic anhydride, 219.
 — suboxide, Leverrier's, existence of, 609.
 — trichloride, action of antimony pentachloride on, 613.
 — and iron, separation of, 74.
 Phosphuranylite, 97.
 Phostolyl chloride, 640.
 — tetrachloride, 641.
 Phosxylochloride, 641.
 Photographs exhibiting natural colours, production of, 72.
 — wet plate, rapid developer for, 765.
 Photometer, chemical, a new, 361.
 Phthalein derivatives, fusion of, with potash, 657.
 — of hæmatoxylin, 54.
 Phthalic acid, compounds of, with phenols, 650.
 — dinitro-, and its salts, 478.
 — chloride, 473.
 Phthalide, action of phosphorus pentachloride on, 473.
 Phthalidein, 655.
 — bromo-, 656.
 — chloride, 656.
 — derivatives, fusion of, with potash, 657.
 — tetrabromo-, 656.
 — and its derivatives, 657.
 Phthalidin, tetrabromo-, 655, 656.
 Phthalylpiperide, 127.
 Phthalyltropine, 411, 715.
 Phyllocyanic acid, Frémy's, 266.
 Phylloxanthin, 266.
 Physico-chemical analysis of clay soils, 511.
Phytolacca decandra, 412.
 Phytolaccin, 412.
 Picoline, α - and β -, 269.
 Picolinic acid, 268.
 Picropharmacolite, 216.
 Pig-iron, dephosphorisation of, 593.
 Pilocarpine, 898.
 Pinacolins, 646.
 Pinacones, 646.
 Pines, effect of manures on growth of, 509.
 Pinitoid from Gleichlinger Fels, in the Fichtelgebirge, analysis of, 857.
 Piperidine, 127.
 — conversion of, into pyridine, 404.
 — salts, 54.
 Piperine or piperonyl-piperidine, 405.
 Piperonyl-piperidine or piperine, 405.
 Pitchblende (uraninite) from Branchville, Conn., U.S., chemical composition of, 530.
 Pittacal, formation of, 248.
 — acid, 164.
 Plant life, lime in, 563.
 Plant material, passage of, in seedlings, 335.
 Plants, absorption of oxygen and expiration of carbonic anhydride by, 416.
 — albumin and amido-compounds in, 279.
 — amount of dew on, 493.
 — breathing of, 911.
 — calcium oxalate in, 914.

- Plants, decomposition of albuminoids in, 493.
- decomposition of nitric acid and ammonia in, 731.
 - energy of assimilation in, 910.
 - estimation of non-albuminous nitrogen-compounds in, 513.
 - etiolated, causes of the change in the form of, 177.
 - growing in natural soils, behaviour of, towards water, 737.
 - growth of, in artificial solutions, 337.
 - increase of dry matter in, during growth, 416.
 - influence of atmospheric electricity on the growth of, 909.
 - influence of light on the growth of, 57, 911.
 - influence of nutritive material on the transpiration of, 335.
 - injurious effect of industrial effluent water on, 497.
 - intramolecular respiration of, 911.
 - locality of albumin secretion in, 492.
 - loss of dried substance in, during ripening, 820.
 - marsh and water, respirative power of, 335.
 - narcotic, extracts of, 425.
 - passage of nutritive material in, 493.
 - presence of alcohols and paraffins in, 914.
 - proximate analysis of, 754.
 - quantities of amides and albuminoids in, 731.
 - starch-altering ferments in, 334.
 - unorganised ferments in, 175.
 - which grow on primordial rocks, presence of copper in, 494.
- Platinates, compound, 706.
- Platinic bromide, preparation of, 445.
- chloride, preparation, for the estimation of potassium, 577.
- Platiniferous iron, 222.
- Platinochlorides of the alkali and alkaline earth metals, solubility of, in alcohol, 578.
- Platino-potassium salt, a new, 706.
- Platinum, action of fused alkaline carbonates on, 581.
- action of sulphuric acid on, 706.
 - volatility of, in chlorine, 94.
 - bases, 300.
 - metals, chemistry of, 854.
 - still, explosion of, used for concentrating sulphuric acid, 517.
 - sulphide, 223.
 - thiocyanate, 618.
- Plumbic acid, salts of, 94.
- Podophyllin, 479.
- Polariscope, use of, in testing crude anthraquinone for anthracene, 292.
- Polycrase, 15.
- Pomegranate, alkaloïds of, 481.
- “Ponceau, R. R.,” 717.
- Populin, sugar from, 29.
- Porosity of soils, estimation of, 822.
- Porphyry from the paper mill, near Weilburg, Nassau, analysis of, 856.
- Potash, commercial, new process for analysing, 286.
- specific heats of solutions of, 435.
- Potash-micas, 224.
- Potashes, direct estimation of soda in, 580.
- Potassium, estimation of, as platinochloride, 577.
- operations in estimating, 579.
 - acetate, action of potassium dichromate on, 160.
 - aluminate, 849.
 - azophenyldisulphonate, 322.
 - benzenesulphinate, 811.
 - benzylsulphonate, fusion of, with potash, 812.
 - bismuth iodide, preparation of, 705.
 - boroduodecitungstate, 612.
 - chloride, heat of formation of, 89.
 - chlorate, heat of formation of, 89.
 - copper chromate, non-existence of, 853.
 - cyanide, action of potassium permanganate on, 307.
 - ferric chromates, 10.
 - ferrous oxalate, and its use for developing photographic bromide of silver plates, 590.
 - — — — — reducing properties of, 544.
 - hydrindigotin-sulphate, 475.
 - iodide, action of, on hydrogen peroxide, 606.
 - indoxyl-sulphate, 475.
 - nitrate, distribution of, in the beet, 733.
 - nitrophenylsulphate, crystalline form of, 106.
 - perchlorate, reduction of, 2.
 - permanganate, decomposition of, by hydrogen peroxide, 444.
 - platinochloride, solubility of, in alcohol, 578.
 - plumbate, 94.
 - polysulphides, heat of formation and hydration of, 689, 690.
 - pyrosulphate, action of, on indigo-white, 46.
 - sulphate, chemical equivalent of, 437.
 - tetrathionate, 215.

- Potato, influence of manure on starch in, 915.
 — relation between the starch, phosphoric acid, and mineral constituents of, 912.
 — blossom, influence of, on the amount of produce, 502.
 — culture, 919.
 — disease, influence of manure on, 915.
 — mash, influence of fermentation on the nitrogenous constituents of, 819.
 — surface fermentation of, 518.
 — rot, sweet, 915.
 Potatoes, action of different manures on the yield of, 187.
 — alcohol from, 833.
 — amount of albuminoids in, 568.
 — analysis of, 734.
 — application of, in the preparation of yeast, 200.
 — best mode of applying artificial manures to, 824.
 — bone-meal as a manure for, 739.
 — dry and wet rot in, 416.
 — estimation of starch in, 512, 513.
 — frozen and rotten, chemical changes in, 820.
 — globulin-substances in, 723.
 — leucine and tyrosine in, 342.
 Pressures, varying, influence of, on grape-must and wine, 358.
 Primavera-wood, 596.
 Propaldehyde, β -chloro-, 234.
 Propenylamidophenyl mercaptan, 389.
 Propenylbenzenesulphamide, 166.
 Propionic acid, double salts of, 799.
 — some derivatives of, 312.
 — α -bromo-, decomposition of, by water, 380.
 — α -dibromo-, maleic and malic acids from, 374.
 — β -iodo-, 800.
 — decomposition of, by water, 380.
 — α -monochloro-, action of phenol on, 393.
 — β -nitro-, preparation of, 33.
 — α -nitroso- and its salts, 712.
 Propionitril, α -amido-, 313.
 — α -imido-, 313.
 Propionylamidophenyl mercaptan, 885.
 Propyl alcohol, action of bleaching powder on, 456.
 — normal, from glycerol, 372.
 — heat of combustion of, 787.
 — diiodo-, 538.
 — action of potash on, 538.
 — amidoethyl formate, 312.
 Propylene chlorobromide, direct formation of, 456.
 Propylene chlorhydrin, action of dimethylamine on, 877.
 Propylene glycol, preparation of, from glycerol, 232.
 Propyleneneurine chloride, 877.
 Propyleneurine, 877.
 Propylphycite, action of bromine on, 862.
 Propylpyrogallol, 249.
 Proteid required by the average workman, 905.
 — tissue change, influence of glycerol on, 817.
 Proteids, estimation of, in fodder, 588.
 — influence of glycerol on the decomposition of, in the animal body, 817.
 — products of the decomposition of, 482.
 Protein, digested, quantitative estimation of, 563.
 — compounds, 676.
 Proustite, 302.
 Pseudoleucaniline (triamidotriphenylmethane), a new, 662.
 — compound of, with benzene, 662.
 Pseudopelletierine, 481.
 Ptyalin, 562.
 — action of, on starch, in presence of gastric juice, 330.
 Pumpkin, certain sorts of, 184.
 — sprouts, decomposition of albuminoids in, 180.
 Pyrrargyrite, 304.
 Pyridine, conversion of piperidine into, 404.
 — series, bases of, 480.
 Pyridinecarboxylic acids, 410.
 — and their salts, 405.
 Pyridinetricarboxylic acid from cinchona alkaloids, 406.
 Pyrites, estimation of sulphur in, 744.
 — valuation of, by the gravimetric method, 583.
 Pyrochlolesteric acid, preparation of, 56.
 Pyrocinchomeronic acid, 406.
 Pyrocinchonic acid, 406.
 Pyrogallol, antiseptic action of, 73.
 — benzoyl derivatives of the dimethyl ethers of, 249.
 — ethylene ether of, and its derivatives, 250.
 Pyromorphite from Dernbach, near Montabaur, Nassau, 858.
 Pyroterebic acid, 315.
 — action of hydrobromic acid on, 378.
 Pyroxilin, composition of, 372.
 Pyrrol, formation of, from succinimide, 630.
 Pyrroline, 713.
 — boiling point of, 404.

Q.

- Quartz and orthoclase, simultaneous re-
production of, 532.
Quinamine, 270.
Quinhydrone, 318.
— formula of, 41, 247.
Quinic acid, and allied compounds, 317.
Quinine citrate, bibasic, economical pro-
cess for preparing, 126.
— selenate, 54.
— sulphate, 54.
Quinol, or hydroquinone, 317.
— monobromo-, 42.
Quinol glycerin, 427.
Quinoline, 44.
— oxidation of, 409.
— preparation of, 672.
— synthesis of, 672.
— synthesis of the homologues of,
406.
Quinolinecarboxylic acid, 398.
Quinolinemonocarboxylic acid, oxidation
of, 409.
Quinols, chlorinated, 888.
Quinone and allied compounds, 317.
— bromine-derivatives from, 385.
— from the hydrocarbon $C_{16}H_{12}$, deri-
vatives of, 665.
— occurring in *Agaricus atrotomen-*
tosus, 47.
— bromo-, 657.
— bromotrihydroxy-, 114.
— triacetoxy-, 114.
— trihydroxy-, 114.
Quinones, action of ammonia and amines
on, 48.
— chlorinated, 888.
— polymeric, 665.

R.

- Racemic acid, preparation of the ethereal
salts of, 876.
Radiant heat, direct transformation of,
into electricity, 838.
Rainfall, comparative, in woods and
fields, 737.
— influence of forests on, 737.
Rain water, ammonia in, 848.
Raisins, sugar in, 932.
Raspberries, wild and cultivated, 936.
Reactions, speed of, 438.
Red antimony, 612.
— clover seed, production of, 729.
— colour, production of, in salting
meat, 80.
— lead, volumetric analysis of, 585.
Refraction, table of coefficients of, of
carbon compounds, 781.

- Refractive power and density, chemical
constitution of carbon compounds in
relation to their, 295.
Refractory materials, magnesium and
calcium compounds as, 831.
Refuse water, purification of, 830.
Refrigerating mixtures, 784.
Rennet, action of, on casein, 172.
Resin from rosewood, 559.
— from *Veratrum viride*, saponifica-
tion of, 171.
— formation of, 125.
— in commercial oils, analysis of,
684.
— oils, analysis of, 683.
Resins, specific gravities of, 70.
Resoquinone, 247.
Resorcinol, or resorcin, manufacture of,
and colouring matters derived from it,
426.
— products obtained by the action of
aqua regia on, 645.
— pentabromo-, 246.
— trinitro-, 113.
Resorcinolbenzein, 644.
— tetrabromo-, 644.
Resorcinol-isosuccinein, 385.
Resorcinol-succinein, 248.
Respiration, function of, at various
altitudes on the Island and Peak of
Teneriffe, 483.
— under reduced pressure, 903.
Rhamnetin, fusion of, with potash, 53.
Rhexite, 595.
Rhodium with lead and zinc, action of
acids on alloys of, 706.
Rice husks, adulteration of rye bran
with, 200.
Rice meal, analysis of, 678.
Rittingerite (feuerblende) from Cha-
ñarcillo, 856.
River Vartry, water of, 21.
Rock crystal from Kasbek, 615.
— salt from Saltville, 95.
Rocks, bituminous, commercial valua-
tion of, 682.
— eruptive, in the Saar and Moselle
districts, 537.
— primary, existence of zinc in,
708.
Roots, influence of salts on the absorp-
tion of water by, 911.
Rosaniline, detection of, in red wine,
680.
— group, dye-stuffs of, 390.
— occurrence of paraleucaniline in
the manufacture of, 162.
— constitution of, 553.
Rosewood, resin from, 559.
Rouge Français, 664.
Roussin's salt, 217, 218.
Rubidine, 267.

Rye as a material for pressed yeast, 777.

— fertilisation of, 493.

— manuring experiments with, 508, 738.

— bran, adulteration of, with rice husks, 200.

S.

Saccharic acid, action of phosphorus pentachloride and hydriodic acid on, 36.

Saccharin, 232, 233, 620.

Saccharosis, remarks on, 233.

Saculmic acid, 538, 865.

Saculmin, 538, 865.

Saculmous acid, 865.

Safranine, 391.

Salicaldehyde, action of acetic anhydride on, 318.

Salicylanilide, α -nitro-, 556.

Salicylic acid, antiseptic action of, 515.

— — destructive action of wood on, 520.

— — detection of, in wine and in fruit juices, 352.

— — ethylene derivatives of, 316.

— — solubility of, 471.

— — and other bodies, influence of, on germination, 335.

— — metachloro-, nitration of, 392.

— — nitrochloro-, and its salts, 392.

— — acids, isomeric nitro-, 121.

Salicylorthonitrilide, 556.

— action of nascent hydrogen on, 556.

Salicyltropeine, 410.

Saligenol, action of mannitol and of glycerol on, 716.

— synthesis of, 318.

Saline solutions, supersaturated, action of oils on, 438.

— — tension of the vapours of, 211.

Saliretone, 716.

Saltpetre, Chili, manure experiments with, 507.

— — potash, 507.

Salts, double, existence of, in solution, 32.

— — haloid, oxidation of, 436.

— — hydrated, relation of the volumes of solutions of, to their water of composition, 212.

— influence of, on the absorption of water by roots, 911.

— obtained from the mother-liquors

of the brine springs of Volterra, 146.

Samarските, the new metals of, 611.

Sap, estimation of, in beet, 829.

— of beetroot, preparation of sugar from, 931.

— of trees and specific gravity of their wood, 912.

Sap-quotient of beet, 931.

Sausages, adulteration of, 422.

— estimation of starch in, 826.

Satureja Juliana, 128.

Scandia, 7, 850.

Scandium, 7.

— atomic weight and characteristic salts of, 850.

— bright-line spectrum of, 685.

— salts of, 8.

— hydrate, 8.

— oxide, 8.

Schizomycetes, vital power of, in absence of oxygen, 277.

Schizomycetic fermentations, 819.

Scorodite, artificial production of, 613.

Sea waters, existence of zinc in, of all ages, 708.

Seed of *Gleditschia glabra*, composition of the kernels and husks of, 133.

— production of red clover, 729.

— peas, damage to, by weevil, 734, 919.

— — prevention of the damage to, by weevil, 734.

Seedlings, passage of plant-material in, 335.

Seeds, new method of estimating the air space in, 189.

— of earth-nut, sunflower, cocoa-nut, rape, and potatoes, investigation of, 677.

— of the corn-cockle as fodder and distillery material, 501.

— oily, albuminoids of various, 676.

— pea and bean, damage to, by weevil, 919.

— resistance of, to the prolonged action of chemical agents, 280.

— result of drying, 493.

Selenious acid, constitution of, 607.

Selenium, vapour-density of, 847.

— ethoxychloride, 608.

Seleniuretted hydrogen, decomposition of, by mercury, 150.

Serine, Cramer's, 713.

— from silk, constitution of, 800.

Serum, non-identity of the albuminoids of crystallin with, 815.

Sewage, report on the treatment of, 767.

Shade, influence of, on the amount of carbonic anhydride in the air of the soil, 823.

- Shade, influence of, on the growth of forest trees, 566.
- Shearing, influence of, on yield of milk, 487.
- Sheep, assimilation in, of all ages, 724.
- digestion by, 484.
- poisoning of, by lupines, 57, 916.
- results with stall-feeding of, 503.
- Shells of crabs, oysters, mussels, &c., as manure, 60.
- Shingle, amount of carbonic anhydride in, 181.
- Silber-kies (sulphide of silver), 14.
- Silesian basalts and their mineral constituents, 19.
- Silica in mortar, action of lime on, 216.
- Silicates, decomposition of, 503.
- Silicic anhydride, separation of, in the analysis of limestones, iron ores, &c., 745.
- Silico-oxalic hydrate, preparation of, 608.
- Silicon, chemical composition of the hydrated oxides of, 849.
- ethyl series, 608.
- fluoride, action of water on, 435.
- hexbromide, preparation of, 608.
- hexchloride, preparation of, 608.
- hexethide, preparation of, 609.
- hexiodide, preparation of, 608.
- nitride, 153.
- sulphide, heat of formation of, 523.
- trihydride, 298.
- Silk, weighting of, 935.
- Silver, crystal tectonic of, 613.
- electrolytic estimation of, 747.
- estimation of, by quartation with cadmium, 679.
- estimation of, in galena, 748.
- metallic, action of, on hydrogen oxide, 441.
- ammonium oxide, 852.
- bromide gelatin emulsion, 929.
- — photochemical behaviour of, in presence of gelatin, 837.
- chloride battery, electric discharge of, 203.
- iodide with calcium iodide, compound of, 442.
- lead, blowpipe assay of, 585.
- oxide, action of hydrogen peroxide on, 441.
- sesquioxide, 441, 442.
- sulphide (silber-kies), 14.
- ultramarine, 217.
- Sinalbin, 265.
- thiocarbimide, 265.
- Sinapin, 265.
- cyanide, 265.
- sulphate, 265.
- Skatole, 258.
- constitution of, 473.
- empirical formula of, 167.
- Skim-milk, composition of, from De Laval's cream separator, 780.
- Skimming by the Schwartz's and Holstein systems, experiments with, 934.
- process, new, 933.
- Skin, action of hydrochloric acid on, 723.
- Smithsonite, analysis of, 857.
- Smithson's pile, use of, for the detection of mercury in mineral waters, 510.
- Smoke, influence of, on the development of blossoms, 177.
- of an electric lamp, 81.
- Soaps, separation of fats from, 587.
- Soda, direct estimation of, in potashes, 580.
- preparation of, from the sulphate by means of lime and sulphur, 592.
- specific heats of solutions of, 435.
- Soda-lyes, crude, mode of desulphurising, obtained in the Le Blanc process, 592.
- Soda-micas, 224.
- Sodium aluminate, 849.
- camphor, 892.
- chloride, removal of large quantities of, in mineral analyses, 580.
- formate acetate, 799.
- hypophosphite, pure, preparation of, 367.
- paratoluenesulphinate, action of ethylidene chloride on, 811.
- phenate, formation of parahydroxybenzoic acid from, 43.
- platinochloride, solubility of, in alcohol, 578.
- polysulphides, heat of formation of, from their elements and the monosulphide, 690.
- silicotitanates, two new, 531.
- sulphate, chemical equivalent of, 437.
- thiacetanilide, reactions of, 556.
- trichloracetate, dry distillation of, 236.
- Soil, absorption of ammonia by, 737.
- estimation of the porosity of, 822.
- from a graveyard, investigation of the composition of, 920.
- formation of nitric acid in, 59.
- influence of, on the growth of forest trees, 566.
- influence of, on the tannin of oak-bark, 920.
- influence of shade on the amount of carbonic anhydride in the air of, 823.
- permeability of, for air, 821.

- Soil-constituents, absorptive power of, for gases, 134.
 — action of soluble and reduced phosphates on, 418.
 Soils, analysis of, from the Bunter sandstone formation, 281.
 — behaviour of phosphoric acid in, 571.
 — determination of the chemical peculiarities of, and manures requisite for them, 418.
 — free carbonic anhydride in, 505.
 — formation of, by weathering, 449.
 — injurious effect of industrial effluent water and of gases on, 497.
 — natural, behaviour of, towards water, 737.
 — peaty, 182.
 Soja bean, digestibility and nutritive value of, 501.
Soja hispida, presence in, of a substance soluble in alcohol, and transformable into glucose, 796.
 Solar heat, industrial utilisation of, 765.
 — spectrum, dark lines in, on the less refrangible side of G, 201.
 — photograph of the ultra-red portion of, 429.
 Solid bodies, absolute expansion of, 88.
 Solids, solubility of, in gases, 210, 693.
 Solutions, action of, on seeds, 281.
 Sonorous vibration, chemical stability of matter in, 43.
 Sorbic acid, 377.
 — structure of, 382.
 Sorgho, sugar from the stems of, 834.
 Sorghum, amount of sugar in, 594.
Sorghum saccharatum, 932.
 Sowing broadcast or in drills, 922.
 Spanish earth, clearing action of, 517.
 Specific gravity, new form of instrument for the determination of, 743.
 — of carbon compounds, determination of, 572.
 — of liquids, determination of, 61, 419, 743.
 — gravities of fats, resins, &c., 70.
 — of solid carbon compounds, 21, 694, 781.
 Specific heat of animal tissues, 483.
 — of cerium tungstate, 852.
 — of concentrated solutions of hydrochloric acid, 207.
 — of glucinum, 792, 850.
 — of the solid elements, 783.
 — of water, 601.
 — heats of solutions of potash and soda, 435.
 — of the rare earths and their salts, 838.
 — of the refractory metals, 149.
 Specific refraction of organic compounds, table of, 781.
 Specific weights of the rare earths and their salts, 838.
 Spectra, emission, of haloïd mercury compounds, 81.
 — of calcium and strontium, 361.
 — of metalloïds, 430.
 — of the earths of the yttria-group, 7.
 Spectral lines of gases, relative intensity of, 685.
 Spectroscope, use of, in discriminating anthracenes, 757.
 Spectrum, acceleration of oxidation caused by the less refrangible end of, 429.
 — bright-line, of scandium, 685.
 — of oxygen, 430.
 — solar, dark lines in, on the less refrangible side of G, 201.
 — ultra-violet limit of, at various heights, 201.
 Speyer beer, analysis of, 773.
 Spice seeds, certain, analyses of the ash of, 915.
 Spike, essence of, 50, 51.
 Spinelle, artificial production of, 447.
 — oriental, polysynthetical twin-crystals of, 14.
 — red and blue, composition of, 369.
 Spirit, purification of, 931.
 Stag's horn, constitution of, 271.
 Stall-feeding of sheep, results with, 503.
 Stall sampling in milk analysis, 925.
 Standard soda solution, 924.
 Stannous chloride, vapour-density of, 219.
 Starch, action of diastase on, 132.
 — action of diastase on, in presence of hydrochloric acid or pure gastric juice, 330.
 — action of glycerol on, 865.
 — action of ptyalin on, in presence of gastric juice, 330.
 — changes which it undergoes in the animal organism, 677.
 — estimation of, in potatoes, 512, 513.
 — estimation of, in sausages, 826.
 — in potato, influence of manure on, 915.
 — influence of steaming on, 834.
 — production of sugar from, 932.
 — saccharification of, 866.
 — soluble, 865.
 Starchmaker's residues, some analyses of, 595.
 Starch-paste, action of diastase on, 310.
 Starch-sugar, detection of, when mechanically mixed with refined cane-sugar, 758.
 Steaming, influence of, on the digestibility of hay, 734.

- Stearic aldehyde, preparation of, 867.
 Steel, estimation of chromium and tungsten in, 288.
 — estimation of total carbon in, 751.
 — presence of nitrogen in, 749.
 — Siemens-Martin, 769.
Stereocaulon vesuvianum, chemical constituents of, 551.
 — composition of the ash of, 382.
 — crystalline body from, 382.
 Stilbene, compounds of, 114.
 Stilbophenol, 253.
 Stillbite, 856.
 Strong's water gas system, 930.
 Strontium, spectrum of, 361.
 — dichromate, preparation of, 444.
 — action of sulphurous anhydride on, 606.
 — platinochloride, solubility of, in alcohol, 579.
 Styrene, β -bromo-, 43.
 Styrolene, bromo-, conversion of, into methylphenylketone, 469.
 Suberic acid produced by oxidation, and its salts, 872.
 Substances, dry, determination of, by the use of alcohol, 351.
 — showing strong bands of absorption in the spectrum, 202.
 Succinic acid, action of iodine on the silver salt of, 801.
 — heat of formation of salts of, 151.
 — dibromo-, action of phenol on, 394.
 — chloride, constitution of the reduction-product of, 712.
 Succinimide, action of phosphorus pentachloride, and of zinc dust on, 713.
 — action of zinc on, 630.
 Succinin, 463.
 Sugar, action of lime on solutions of, 834.
 — amount of, in sorghum, maize, and melons, 594.
 — amount of, in the roots of sugar-beet, 586.
 — analysis of, 519.
 — chemistry of, 863.
 — decomposition-products of, 864.
 — estimation of, in beet juice, 144.
 — formation of, in the liver, 905.
 — from populin, 29.
 — from the date-palm, 100.
 — from the stems of maize and sorgho, 834.
 — gypsum in the manufacture of, 834.
 — in raisins, 932.
 — in the liver, nature of, 866.
 — inactive and inverted, 100, 458.
 Sugar, inverted, patent process for preparing, 425.
 — neutral and inverted, 100, 458.
 — physiology of, in relation to the blood, 486.
 — preparation of, from sap of beet-root, 931.
 — production of, from starch, 932.
 — proportion of, to the weight of beetroots, 519.
 — quantity of, in grapes cut at various stages of their growth, 179.
 — rapid estimation of, in raw and refined commercial sugars, 64.
 — raw, experiments with Scheibler's method of analysing, 144.
 — raw, valuation of, 520.
 — Scheibler's new process for the estimation of, in beet, 587.
 — ulmic compounds formed from, by the action of acids, 538.
 — volumetric estimation of, by an ammoniacal copper test, giving reduction without precipitation, 512.
 — volumetric estimation of the reducing power of, 758.
 Sugar beet. See Beet.
 Sugar lime, direct decomposition of, 931.
 Sugar solutions, action of bone-black on, 758.
 Sugar syrups, bleaching of, by ozone, 74.
 Sugars, cupric test pellets for, 761.
 — raw, occurrence of vanillin in, 646.
 — various, behaviour of, with alkaline, copper, and mercury solutions, 758.
 — various, behaviour of, with Fehling's solution, 66.
 — various, reducing power of, 759.
 Suint, 520.
 Sulphaminemetatoluic acid, oxidation of, 473.
 Sulphanilic acid, and its salts, 239, 320.
 Sulphates, alkalimetric estimation of, 744.
 — anhydrous, heat of formation of, 82.
 — of mono- and poly-hydric alcohols and carbohydrates, 28.
 — volumetric estimation of, 576.
 Sulphinic acids, constitution of, 810.
 Sulphonamidoparatoluic acid, 257.
 Sulphones, new synthesis of, 810.
 Sulphonic acids, action of fused alkalis on, 320.
 — from isomeric nitramido- and diamido-benzenes, 394.
 Sulphonic group, influence of nitro- and amido-groups on a, entering the benzene molecule, 238.
 Sulphonterephthalic acid, 257.

- Sulphur, an experiment with, 700.
 — condition in which it exists in coal, 708.
 — estimation of, in natural sulphides, 139.
 — estimation of, in pyrites, 744.
 — free, occurrence of, in the dry distillation of tar, 831.
 — heat of combustion of, 785.
 — organic compounds, easy process for detecting, 348.
 — mode of action of, as a remedy against vine-disease, 281.
 — oxidation of, in gas when burnt, 355.
 — oxygen-acids of, 5.
 Sulphur-baths, observations on, 196.
 Sulphuretted hydrogen, behaviour of, with the salts of the heavy metals, 746.
 Sulphuric acid, chemical equivalent of, 438.
 — — chamber, introduction of nitric acid into, along with the steam, 196.
 — — estimation of, in must and wine, 586.
 — — estimation of nitrous compounds in the manufacture of, 745.
 — — etherification of, 796.
 — — presence of, in milk, 423.
 Sulphuric anhydride, heat of vaporisation 693.
 — — monochloride, action of, on alcohols, 310.
 Sulphurous acid, detection of, in wine, 680.
 — — anhydride, action of, on the oxides of the alkaline earth-metals, 606.
 Sumach leaves, tannin of, 732.
 Sun, existence of carbon in the coronal atmosphere of, 429.
 Sunlight, continuous, influence of, on plants, 911.
 Sun's rays, measurement of the actinism of, 685.
 Superphosphate, influence of the physical condition of, on its value, 60.
 — — manure experiments with, 507.
 — — action of sulphuric acid on phosphates, in connection with the manufacture of, 425.
 — — analysis of, 140.
 — — containing iron and aluminium, retrogradation of, 703.
 — — from pure tricalcium phosphate, 141.
 — — mineral, analysis of, 576.
 — — reduction of, 571.
 Sweat, influence of the secretion of, on the elimination of nitrogenised decomposition-products, 818.
 Sweet potato-rot, 915.
 Swine, feeding experiments on, 724.
 Sylvane, 663.
 — — action of hydrochloric acid on, 663.
Symphytum aspernum as a fodder, 735.
 Synanthrose, 619.
 Syrups, fermentations produced in preparing, from beet juice by diffusion, 519.
- ## T.
- Taiguic acid, 267.
 Tannin, artificial, 122.
 — — in wine, 775.
 — — of oak-bark, influence of soil on, 920.
 — — of sumach leaves, 732.
 — — solutions, action of light and darkness on, 908.
 Tanning, mineral, 427.
 Tantalates, American, analysis of some, 531.
 Tar, animal, compounds from, 267.
 — — occurrence of free sulphur in the dry distillation of, 831.
 Taraxacum root, 720.
 Tartar in must and wine, 774.
 Tartaric acid, action of iodine on the silver salt of, 801.
 — — preparation of the ethereal salts of, 876.
 Tartronic acid, 629.
 Tayuya, 721.
 Tellurium, vapour-density of, 847.
 Temperature, influence of, in the preparation of ozone, 90.
 — — of decomposition of vapours, 209, 293.
 — — determinations, calorimetical, 434.
 Tendons, distribution of phosphates in, 275.
 Teneriffe, the function of respiration at various attitudes on the Island and Peak of, 483.
 Tensions of saturated vapours, comparison of the curves of, 435.
 Terebenthene, electrolysis of, 479.
 — — lævorotary, action of alcohol and sulphuric acid on, 559.
 — — lævorotary, from French turpentine oil, 559.
 — — monohydrate, 479.
 — — hydrate, 559.
 Terephthalic acid, dibromo-, and its salts, 632.
 Terpene, lævorotary, from French turpentine oil, changes produced by hydration and dehydration in, 402.

- Terpene, dihydrochloride, 403.
 — hydrate, levorotary, 402.
 — monochlorhydrate, 403.
 Terpenes, hydration of, 264.
 Tertiary aromatic bases, compounds of
 benzotrichloride with, 239.
 — bases, ferro- and ferri-cyanides of
 certain, 98.
 — butyl cyanate, 228.
 Tetrabromodibenzylene - paradimethyl-
 phenylamine, 879.
 Tetracetodioxymethylol, 658.
 Tetracetylquinide, 317.
 Tetracrylic acid, monochloro-, behaviour
 of, on fusion, 630.
 Tetraedrite from Huallanca, Peru,
 220.
 Tetrahydroxytriphenylmethane, 644.
 Tetramethylammonium nitrate, forma-
 tion of, 545.
 Tetramethyldiamidodiphenylmethane,
 108.
 Tetramethyldiamidotriphenylmethane,
 40.
 Tetramethylmetaphenylenediamine, ac-
 tion of bromacetylbenzene on, 639.
 — and its salts, 111.
 Tetramethylparaphenylenediamine, ac-
 tion of oxidising agents on, 111.
 — colouring matters obtained by the
 oxidation of, 111.
 Tetramethylphenylenediamine ferrocy-
 anides, 99.
 Tetramethyltolylene-diamine, 109.
 Tetraphenol, or furfurane, 663.
 Tetraphenylethane, vapour-density of,
 679.
 Tetraphenylethylene, 558.
 Tetrathionic acid, 215.
 Tetrethylcholanolic acid, 723.
 Tetrethyl citrate, 36.
 Tetrollic acid, action of phosphorus
 pentachloride on, 626.
 — and its homologues, 625.
 Thapsia, false, or cleka, resin from,
 718.
Thapsia garganica, 718.
 Thapsic acid, 718.
 Thaumasite, 16.
 Thermal absorption of flames, 206.
 Thermobarograph, 783.
 Thermochemical researches, 363.
 Thermochemistry of cuprous chloride,
 208.
 Thermoelectric properties of liquids,
 431.
 Thermometer, electro-capillary, 205.
 Thiactic acid, derivatives of, 33.
 Thiacetomethylanilide, 557.
 Thiacetotoluidides, two isomeric, melting
 points of, 557.
 Thiamides, 556.
 Thiocarbamide, action of monochloro-
 acetylcarbamide on, 631.
 — action of monochloroacetyldimethyl-
 carbamide on, 631.
 — di-isobutyl-, 548.
 — dinaphthyl-, 245.
 — diorthotolyl-, 244.
 — lactyl-, 312.
 — mono- and di-anisyl-, 642.
 — monobromophenyl-, 634.
 — monophenyl-, action of alcoholic
 ammonia on, 44.
 — phenylbromophenyl-, 634.
 — propionyl-, 312.
 — tertiary amyl-, 548.
 — tertiary butyl-, 548.
 — tolyl-, ortho- and para-, 386.
 — tolylethyl-, ortho- and para-, 387.
 — tolylphenyl-, ortho- and para-,
 387.
 Thiocarbamides, aromatic, 44.
 Thiocarbimide, acetoxy-, 659.
 — acetoxyphenyl-, 388.
 — amidophenyl-, 388.
 — bromophenyl-, 633.
 — chloronitrophenyl-, 387.
 — anilidophenyl-, 388.
 — chlorophenyl-, 387.
 — — base from, 388.
 — ethoxyphenyl-, 388.
 — phenyl-phenyl-, 389.
 — tertiary amyl-, 548.
 Thiocarbimides, a series of aromatic
 bases isomeric with, 387.
 — chlorophenyl-, 388.
 Thiocyanates, use of, in calico printing,
 358.
 Thiodiglycollic acid, 236.
 Thiodilactic acid, new method of prepar-
 ing, 238.
 Thioformobromanilide, 634.
 Thioglycollic acid, characteristic reaction
 of, 236.
 — nitroso-, and its salts, 630.
 Thiohydantoin, action of chlorine and
 bromine on, 631.
 — decomposition of, by barium hy-
 drate, 236.
 — dibromo-, 631.
 — formula of, 45.
 — synthesis of, 877.
 Thiohydantoins, formulæ of, 44.
 Thiophenol, action of sulphuric acid on,
 810.
 Thiosulphonates, synthesis of ethereal
 salts of, 812.
 Thiotetrapyridine, action of dilute nitric
 acid on, 672.
 — distillation of, with metallic copper,
 672.
 Thomsonite, lintonite, and other forms
 of, 535.

- Thymol, nitro-, action of nitric acid on the methyl ether of, 883.
 — action of, on monochloroacetic acid, 393.
 — influence of, on germination, 335.
 — liquid, 892.
 — ethers of, products of the oxidation of the, 246.
 — monobromo-, methyl ether of, 884.
 — nitroso-, crystalline form of, 548.
 Thymolcarboxylic acid, 889.
 Thymolglycollamide, 889.
 Thymolglycollic acids and their salts, 888.
 Thymoxyacetic acid, 393.
 Thulia, 7.
 Thulium, 7.
 Tin, chemical composition of the hydrated oxides of, 849.
 — Clarke's method for the separation of, from arsenic and antimony, 289.
 Tinctures, analytical examination of, 194.
 Tinning solution, 425.
 Titanates from Småland, 15.
 Titaniferous iron ore, 15.
 Titanium tetrachloride, compound of, with acetic chloride, 624.
 Tobacco, influence of manures on the combustibility of, 417.
 — Italian, improvement of, 200.
 — manured, amount of chlorine in, 417.
 — — combustibility of, 417.
 Tokay wines, analysis of, 833.
 Tolane, oxidation of, 259.
 — dibromide, 259.
 — tetrachloride, peculiar formation of, 259.
 Toluene, a new base obtained by the perchlorination of, 387.
 — and its derivatives, action of bromine on, 878.
 — ortho-nitro-, anthranilic acid from, 648.
 — paradiamido-, 162.
 α -Toluenedisulphonic acid, constitution of, 889.
 Toluenedithiacetic acid, 33.
 Toluene-metasulphonic acid, Beckurt's, 810.
 Toluene-monosulphonic acids, 256.
 α -Toluic alcohol, amines corresponding with, 241.
 Toulidine, carbamides derived from, 245.
 — compounds of, with mercuric bromide and iodide, 632.
 — crude, estimation of metatoluidine in, 110.
 — dibromo-, 879.
 — dinitro-, symmetrical, preparation of, 636.
 Toulidine, nitro-, crystalline form of, 105.
 Toluidines, dimethyl-, action of benzaldehyde on, 636.
 Toluquinone, trihydroxy-, 114.
 α -Tolylamide (phenylacetamide), history of, 650.
 Tolyl chloride, 161.
 Tolyldimethylamidophenylsulphone, 108.
 Tolylenediamines, 162.
 Tolyglycocine, 713.
 Tolyphenol, 161.
 Tolyphosphinic acid, 641.
 Tolyphosphorous acid, 641.
 Tolyurethane, 713.
 Tonga, 836.
 Trachytes, minerals contained in certain, from the ravine of Riveau Grande, at Mont Dore, 225.
 Transpiration of plants, influence of nutritive material on, 335.
 Trap of West Rock, New Haven, Conn., U.S., composition of, 536.
 Trees, light, shade, and soil, studied in their influence on the growth of, 566.
 — quantity and distribution of water in, 912.
 — sap of, and specific gravity of their wood, 912.
 Tropeines, 714.
 Triacetoneamine, products of oxidation of, 101.
 — chromates, 101.
 Triacetyl-cotoïn, 326.
 Triacetyl-phlobaphene, 650.
 Triallylamine, 99.
Trianosperma ficifolia, 721.
 Trianospermin, 722.
 Tribenzoylmorphine, 407.
 Tribenzoylphlobaphene, 650.
 Tricalcium phosphate, pure, superphosphates from, 141.
 Tricarballic acid, 864.
 — — occurrence of, in beet juice, 36.
 Tricarbopyridenic acid and its salts, 895.
 Trichloroacetic cyanide, 35.
 — — action of hydrochloric acid on, 35.
 Trichloroacetylcarboxylic acid, 35.
 Tridecylic acid, 34.
 Triethyl citrate and its derivatives, 36.
 Tri-isobutylene, 230.
 — oxidation of, 230.
 Trimellitic acid, 265.
 — anhydride, 265.
 Trimethylamido-phenolammonium chloride, 638.
 Trimethylamine, commercial, 159.
 — from beet-root molasses, 233.
 — thermochemistry of, 787.
 Trimethylcarbamine and its salts, 545.

Trimethylmetaphenylenediamine, trinitro-, 111.
 Trimethylnitrophenolanmonium, 637.
 — iodide and its salts, 638.
 Trimethylparamidobenzenesulphonic acid, 322.
 Trimethylparaphenylenediamine, 111.
 Trimethylparaphenylenediaminenitrosamine, nitro-, 111.
 Trimethyltriamidobenzene, 111.
 — diacetyl-derivative of, 111.
 Trinitrazoxyphenetol, 467.
 Trioxymaleic acid and its salts, 875.
 Trioxymethylene, 25.
 Triphenylarsine, 397.
 — sulphide, 397.
 Triphenylbenzene, vapour-density of, 679.
 Triphenylcarbinol, tetramethyldiamido-, 40.
 Triphenylcarbinolortho-carboxylic acid, 650.
 Triphenylethylamine, 242.
 — hydrochloride, 241.
 Triphenylmethane, amido- and its salts, 661.
 — derivatives of phenolphthaleïn, 653.
 — diamido-, 39, 661, 813.
 — diamido-, and its salts, 661.
 — diamido-, compound of, with benzene, 662.
 — diamido-, oxidation of, 662.
 — metanitro-diamido-, oxidation of, 663.
 — tetramethyldiamido-, 40.
 — tetramethyldiamidopropyl-, 40.
 — triamido- (pseudoleucaniline), a new, 662.
 Triphenylmethanecarboxylic acid, 650.
 — α -dichloro-, 655.
 Trisulphodiphenyl hyponitrite, 477.
 Trithiobasic mercuric sulphate, 157.
 Tropic acid, artificial formation of, 472.
 — chloro-, 472.
 Tropidin e675.
 — platinoch loride, 675.
 Tubes, sealed, oven for heating, 846.
 Tungstates, reaction of, in presence of mannitol, 30.
 Tungsten, estimation of, in steel, and in their alloys with iron, 288.
 Tungsten-bronze, 157.
 Tungsten-manganese bronze, 199.
 Tunicin, 233.
 Turf, nitrogen in, 344.
 Turnips, composition of two varieties of, 917.
 — influence of soluble and insoluble phosphates as manure for, 186.
 Turpentine, atmospheric oxidation of, 51.

Turpentine, hydrochloride, action of sodium on, 669.
 Tyrosine, constitution of, 473.
 — formation of hydroparacoumaric acid from, 254.
 — in potatoes, 342.

U.

Ulmic compounds formed from sugar by the action of acids, 538.
 — — synthesis of, 482.
 Ultramarine, 155.
 — compounds, 217, 367.
 — green, action of silver nitrate on, 368.
 — silver-, decomposition of, 367.
 Ultra-violet absorption spectra of ethereal salts of nitric and nitrous acids, 202.
 — — rays of the spectra, absorption of, by organic substances, 430.
 Umbellol, 670.
 Undecylic acid, conversion of lauric acid into, 34.
 Unsaturated compounds, addition of oxygen to, 231.
 Uraninite (pitchblende) from Branchville, Conn., U.S., chemical composition of, 530.
 Uranium, fluorine compounds of, 853.
 — minerals from North Carolina, 96.
 — oxide, precipitation of, by ammonia, 189.
 — oxyfluo-compounds, combination of, with fluorides of the alkali metals, 794.
 — separation of iron from, 189.
 Uranotil, 96.
 Urea, estimation of, 513.
 — estimation of, by sodium hypobromite, 681.
 — estimation of, in urine, 513.
 — pure, preparation of, 681.
 — quantitative estimation of, 681.
 — platinochloride, 104.
 Ureides, contribution to the knowledge of, 631.
 Urethane, hemithiobromophenyl-, 634.
 — metatolyl-, 713.
 — orthotolyl-, 245.
 — thiobromophenyl-, 634.
 Ureæ, estimation of urea in, 513.
 — indican from, 46.
 — normal, some ingredients of, 907.
 — of herbivora, source of hippuric acid on, 173.
 — of herbivorous animals, occurrence of a reducing substance in, 332.
 Urusite, 616.

Valeraldehyde, action of acetic chloride on, 459.
 Valeric acid from active amyl alcohol, 628.
 ——— normal, lactone of, 799.
 ——— amido-, (amidodimethylacetic acid), 101.
 Valerylene, transformation of, into cyclo-mene and hydrocarbons of the benzene series, 710.
 Vanadates, a new property of, 527.
 Vanadinite, 15.
 Vanillin from sugar, 864.
 ——— occurrence of, in certain kinds of raw sugar, 467, 646.
 Vapour, variation of the tension of, emitted above and below the point of fusion, 605.
 Vapour-densities, Meyer's method of determining, 841.
 ——— modification of Meyer's apparatus for the determination of, 431.
 ——— observations on, 433.
 ——— of anhydrous and hydrated formic and acetic acids, 868.
 ——— of selenium and tellurium, 847.
 ——— of the alkali-metals, 434.
 Vapour-density apparatus, V. Meyer's modification of, 743.
 ——— determinations in the vapour of phosphorus pentasulphide, 679.
 ——— determinations, Meyer's, 824.
 ——— of iodine, 606, 788, 846.
 ——— of isoindole, 660.
 ——— of stannous chloride, 219.
 ——— of the viscous polymeride of isobutylaldehyde, 620.
 Vapour-tension of the halogen-derivatives of ethane, 618.
 Vapours, mixed, critical point of, 842.
 ——— of saline solutions, tension of, 211.
 ——— saturated, comparison of the curves of the tension of, 435.
 ——— saturated, relations between the pressures, temperatures, and densities of, 692.
 ——— temperature of decomposition of, 209, 293.
 Vaseline, 930.
 Vegetable ducts, functions of, 911.
 ——— matter, permeation of, by water, 823.
 ——— substances, estimation of albuminoids in, 352.
 Vegetables, existence of ammonia in, 568.
 Vegetation, effect of acid gases on, 496, 497.
Veratrum viride, 170.

Vesbine, 445.
 Vesbium, 445, 611.
 Vetch, common, growth of, 567.
 Vine, ash of different parts of, 133.
 Vine disease, mode of action of sulphur as a remedy against, 281.
 Vinegar, formation of, by bacteria, 334.
 Vines, diseased, composition of leaves of, 416.
 ——— raising of, from seed, 418.
 ——— researches on the bleeding of, 133.
 Vitriol exits, direct method of testing, for nitrogen compounds, 746.
 Volcanic ash from Cotopaxi, 97.
 ——— dust which fell January 4th, 1880, at Dominica, 453.
 ——— glass, capillary, of Kilauea, Hawaii, called Pélé's hair, composition of, 536.
 Volcanos of Ernici in the Valle del Sacco (Rome), lavas of, 226.
 Volhard's permanganate method of titrating manganese, 585.
 Voltaic condenser, a new, 521.
 ——— pile, constant and powerful, 686.
 Volume, influence of, in the preparation of ozone, 90.
 Volumes of solutions of hydrated salts, relation of, to their water of composition, 212.

W.

Waste liquids, injury to fishes by, 490.
 Water, a peculiar, 591.
 ——— action of, on lead piping, 198.
 ——— action of, on silicon and boron fluorides, 435.
 ——— action of, on zinc and lead, 766.
 ——— analysis, 139.
 ——— decomposition of, 686.
 ——— detection of, in alcohol and ether, 679.
 ——— estimation of oxygen dissolved in, 421.
 ——— filtered through dry soil, calcium carbonate in, 59.
 ——— from sugar works, purification of, 930.
 ——— hard and soft, effect of, on the brewing of beer, 593.
 ——— impure, influence of, on the health, 488.
 ——— industrial effluent, injurious effect of, on soils and plants, 497.
 ——— influence of the supply of, on the elimination of nitrogenised decomposition products, 818.

Water, lowering of the freezing point of, by pressure, 845.
 — method for determining the temporary hardness of, 923.
 — methods for indicating the presence of organic matter in, 290.
 — of the Ferdinandsbrunnquelle at Marienbad, Bohemia, 306.
 — of the Oberbrunnen, Flinsberg, Silesia, 226.
 — of the River Vartry, 21.
 — refuse-, purification of, 830.
 — specific heat of, 601.
 — which accompanied the volcanic dust which fell January 4th, 1880, at Dominica, 453.
 Water-gas system, Strong's, 930.
 Waters, estimation of organic nitrogen in, 62.
 — four, for Turin, analyses of, 591.
 — notes on some analyses of, 62.
 — of County Dublin, 766.
 Wax, detection of, 763.
 Weldon manganese "mud" and some similar compounds, composition of, 219, 368, 611, 704.
 — process, composition and analysis of the binoxide of manganese recovered in, 528.
 Wheat, manuring experiments with, 508, 738, 922.
 — oiled, detection of, 929.
 Whey, a new albuminoid in, 274.
 White of egg, non-identity of the albuminoids of crystallin with, 815.
 Wine, adulterated, physiological influence of, 174.
 — adulteration of, 191.
 — analysis, 586, 680.
 — detection of salicylic acid in, 352.
 — detection of sulphurous acid in, 680.
 — estimation of glycerol in, 512.
 — foreign colouring matters in, 191.
 — free tartaric acid in, 775.
 — inversion of beet-sugar for, 833.
 — preparation of, 200.
 — red, detection of rosaniline in, 680.
 — tannin in, 775.
 — tartar and tartaric acid in, 774.
 — time of first drawing of, 517.
 — valuation of, 421.
 Wine-extract, estimation of, 515, 928.
 Wines, red, artificial colouring of, 927.
 — Tokay, analyses of, 833.
 Wood, destructive action of, on salicylic acid, 520.
 Wood's metal, specific gravity of, 679.

Woody fibre estimation, 588.
 Wool, products of the oxidation of, 460.

X.

Xanthic acid as a precipitant for albumin, 765.
 Xylene derivatives, 552.
 Xylic acid, its preparation and derivatives, 252.
 Xylophosphinic acid, 641.
 Xylophosphorous acid, 641.
 Xyloquinol, 553.
 — chloro-, 553.
 Xyloquinone, 553.
 Xylylamide, 252.
 Xylylanilide, 252.
 Xylylic chloride, 252.

Y.

Yeast, amount of, formed during fermentation, 728.
 — application of potatoes and undried malt in the preparation of, 200.
 — estimation of the value of raw material in the preparation of, 833.
 — experiments on various kinds of, 833.
 — improvements in treatment of, 777.
 — lecithin and nuclein in, 816.
 — malt combings a source of, 518.
 — pressed, rye as a material for, 777.
 — souring of, 518.
Yerba mausa, essential oil of, 721.
 Yew, chemistry of, 899.
 Ytterbia, 704.
 Ytterbium, atomic weight and characteristic salts of, 703.
 Yttria-group, spectra of the earths of, 7.

Z.

Zinc, action of water on, 766.
 — actual state of the estimation of, 748.
 — arsenates of, 216, 217.
 — existence of, in all primary rocks and in sea waters of all ages, 708.
 — tinning, 425.
 — valuation of, 826.

- | | |
|--|---|
| Zinc, with iridium, ruthenium, and rhodium, action of acids on alloys of, 707.
— ammonium oxide, 852.
— cadmium, and copper, separation of, 748.
— oxide, characteristics of, 701.
— — in alkaline solutions, 852. | Zinc, potassium oxide, 852.
— sodium oxide, 852.
Zinc-blende from Rothenburg, analysis of, 857.
Zinc-dust, valuation of, 826.
Zinnwaldite, 533.
Zircon from the Isergebirge, 369.
Zirconium derivatives, 6. |
|--|---|
-